

# DFAC 6-10T

1

2

3

4

5

6995

5

6

7

8 2

9 Wheelbase MM: 3800

10

11

12

13

14

15

16

17

18

7.50

20

21

22

3

18- 5- 24





Whatsapp & Telephone: +86-18607222773 Email: [brenda@clwtruck.com](mailto:brenda@clwtruck.com)







Whatsapp & Telephone: +86-18607222773 - Email: brenda@ciclwtruck.com







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: [brenda@clcwtruck.com](mailto:brenda@clcwtruck.com)

### 01 NUMERICAL CONTROL INSTRUMENTS

All the instruments are the numerical control synchronous motor controlled



### AIR CONDITIONER

with double sleepers , air conditioner, with large storage warehouse.  $-5^{\circ}\text{C}$ — $15^{\circ}\text{C}$  optional

02

### 03 CAPACITY CLASSIS OPTIONAL

Capacity: 0.5-30 ton refrigerator truck  
Steering wheel Emission standard  
Truck chassis



### FLOATING SUSPENSION

All the trucks are four-point support fully floating suspension+shock absorbers with transverse

04

# Choice what you need



Standard(clean)



Guide rail of bottom Aluminum steel of bottom



Ventilating slot(bottom)



304 Stainless skin



Ventilating slot(side)



Groove ventilating shot



Guide rail of meat hook



Goods shelf





Separate box




Mobile sparate hard board



Mobile sparate soft board



## Optional Spare Parts



# BATCH DEPARTURE

WELCOME TO OUR COUNTRY

