[illegible]

[illegible]

1[illegible]

2.[illegible]4X2[illegible]4X4[illegible]6X4[illegible]6X6[illegible]8X4

3. [illegible]ASM[illegible]ISO[illegible]BV[illegible]SGS[illegible]CCC[illegible]

[illegible]

1[illegible]

2[illegible]

3[illegible]“[illegible]4[illegible]”[illegible]

4[illegible]

[illegible]5-7[illegible]

[illegible]			
[illegible] [illegible] [illegible]	CLW5090TSL3 [illegible]		
[illegible](Kg)	9400	[illegible]	4×2
[illegible]	3500	[illegible]	6700×2290×2500
[illegible](Kg)	5705	[illegible]	3
[illegible]/[illegible](°)	22/12	[illegible]/[illegible](mm)	1180/1720
[illegible]	2	[illegible]([illegible])	3800
[illegible]	3460/5940	[illegible](Km/H)	90
[illegible]			
[illegible]	EQ1090T9ADJ3AC	[illegible]	[illegible]
[illegible]	[illegible]	[illegible](mm)	6695×2285×2480
[illegible]	7.50R16	[illegible]	6
[illegible]	11/97,8/107	[illegible](mm)	1831[illegible]
[illegible]	[illegible]	[illegible](mm)	1640
[illegible]	[illegible]III	[illegible]	5[illegible]1[illegible]
[illegible]	[illegible]USB[illegible]		
[illegible]	[illegible]	[illegible]	[illegible]
CY4102-E3C	[illegible]	3856	91
[illegible]			
[illegible]m^3[illegible]	5	[illegible]	2.5

垃圾箱材质	不锈钢	水箱材质	不锈钢
辅机型号	JX493G	辅机功率(Kw)	57千瓦
辅助发动机制造商	江西五十铃 发动机有限公司	最大清扫宽度(mm)	3200
清扫速度（公里/小时）	3-20	清扫能力（平方米 /h ）	9000-60000
最大晶粒尺寸和质量（mm）	100毫米±1.5公斤	清洁率	96%

道路清扫车特点

1.控制箱位于驾驶室，各种系统电气集中控制，操作方便!
2、四个扫描盘与吸嘴结合工作。根据不同的清洗条件，可以选择高、中、低三档来控制扫描盘的速度，确保在各种污染状态下都有良好的清洗效果。当遇到障碍物时，扫描盘可以自动避让保护，并具有自动复位功能，并自动缩回，越过障碍物后自动复位!
3.扫描盘两侧可同时工作，也可单侧独立工作。
4.液压系统核心部件采用原装进口!

图片如下:

Whatsapp & Telephone: +86-18607222773
Email:brenda@clclwtruck.com

Whatsapp & Telephone: +86-18607222773
Email:brenda@ciclwtruck.com

Whatsapp & Telephone: +86-18607222773
Email:brenda@clclwtruck.com

Whatsapp & Telephone: +86-18607222773
Email:brenda@clclwtruck.com

Whatsapp & Telephone: +86-18607222773
Email:brenda@clclwtruck.com