

□□□□□□□□**			
□□□□	□□□□□□	GVW□□□□	2550
□□□□□Kg□	860	□□□□□mm□	4730×1780×2630
□□□□□□□□	1560	□□□□□mm□	2900 * 1720 * 1810
□□□/□□□□	39/20	F / R□□mm□	□□□□□□□□□□□□
□□	2	□□□mm□	3070
□□□KG□	□□□□□□□□□□□□	□□□□□□□/□□□	115
□□	5□□□□1reverse	□□□□	□□□□ □□□□
□□□□*			
□□□□	BJ1036V5JV5-D1	□□□□	4
□	□□	□□□□□□□	□□□□□□□□□□□□
F / R □□□mm□	1375□□1338	□□□□	175R14LT 8PR
□□□□	□□	□□□□	□V
□□□□□	LJ469Q-1AE9	□□□□□□□/ □□□Kw□	1249□□1264□

□□□□□□□□□□□□□□

1.□□□□□□□□□□



Sale the best truck





Sale the best truck



www.chinatrucksupplier.com



Sale the best truck



www.chinatrucksupplier.com



Sale the best truck



www.chinatrucksupplier.com



Sale the best truck



www.chinatrucksupplier.com



Sale the best truck



www.chinatrucksupplier.com



Sale the best truck



www.chinatrucksupplier.com



Sale the best truck



www.chinatrucksupplier.com



www.chinatrucksupplier.com