

Whole model number	CL5180ZYSBEV	Chassis model	EQ1180TLEVJ1
wheel base	4500 mm	Box volume	15m³
outline dimension	9100,8950×2550×3400 , 3300 mm	Rated load capacity	5370,5305,5870,5805 kg
gross mass	18000 kg	curb weight	12500,12000 kg
Battery brand category	Ningde lithium iron phosphate battery	Fuel type	Pure electric
Mileage	280 km (Full load 40km/h constant speed method)	maximum speed	89 km/h
battery capacity	210 KWh	tyre size	10.00R20 18 PR,295/80R22.5 18 PR,295/80R22.5 16 PR
Rated total battery voltage	608.58 V	Maximum climbing	≥30%
Charging time	About two hours	Approach angle / departure Angle	18/8°
Energy density of the battery system	158.98 w.h/ kg	Front suspension / rear suspension	1410mm/ 2840 mm
brake mode	Air brakes	Brakes	Drum
Battery layout form	Side hung	Front and rear axles (tonnage)	5/10 6.833
Driving recorder	Install a driving recorder with satellite positioning function		
Chassis controller	Controller type: Multi-in-one	Drive system: 6 gear box + mechanical power take-off + electric power take-off	
Chassis motor	Motor model: TZ366XS50B	Rated motor power/torque: 120 kw/500N.m	
	Motor brand: CRRC Times	Peak motor power/torque: 200 kw/1000N.m	



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com





Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com





Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com




□□□□

□□□□□□□□□□□□□□□□□□□□□□□□




Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com


□□□□
□□□□□□□□



11


[illegible]

[illegible]



□□□□

□□□□□□□□□□□□□□□□□□



□□□□□□□□□□□□□□□□ CAN/PLC □□□□□□□□□□□□□□□□□□□□



Whatsapp & Telephone: +86-18607222773 Email:brenda@clclwtruck.com



XXXXXXXXXXXXXXXXXXXX

[illegible]



##