

□ □ □ □ □

□ □;□□□□□□□□1.0pt;□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">

CSC5140ZYS3□□□□□

□ □;□□□□□□□□1.0pt;□□□□□□□□1.0pt; □□0cm 5.4pt 0cm 5.4pt">
4*2

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
8600*2500*3200

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">

□ □;□□□□□□□□1.0pt;□□□□□□□□1.0pt; □□0cm 5.4pt 0cm 5.4pt">
□/□□□mm□

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
1250/2850

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
□□□mm□

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
4500

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
□□□□□km/h□

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
90

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
EQ5140KL|

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
□□

□ □;□□□□□□□□1.0pt;□□□□□□□□1.0pt; □□0cm 5.4pt 0cm 5.4pt">
Dongfeng Motor Company

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
□□

□ □;□□□□□□□□1.0pt;□□□□□□□□1.0pt; □□0cm 5.4pt 0cm 5.4pt">
□□□□mm□

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
7640*2470*2710

□ □;□□□0cm 5.4pt 0cm 5.4pt">

1111

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
10.00-20

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□0cm 5.4pt 0cm 5.4pt">
□□

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
6+1

□ □;□□□0cm 5.4pt 0cm 5.4pt">

1111

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□0cm 5.4pt 0cm 5.4pt">
8/10+8

□ □;□□□□□□□□1.0pt;□□□□□□□□1.0pt; □□0cm 5.4pt 0cm 5.4pt">
□□MM□

□ □;□□□□□□□□□□1.0pt;□□□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt">
1940□

□ □;□□□□□□□□1.0pt;□□□□□□□□1.0pt; □□0cm 5.4pt 0cm 5.4pt;□□3.5pt">
□□

□ □;□□□□□□□□1.0pt;□□□□□□□□1.0pt; □□□0cm 5.4pt 0cm 5.4pt;□□□3.5pt">

mm
;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt;3.5pt">
1860
;0cm 5.4pt 0cm 5.4pt">

;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt">
iii
;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt">

;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt">
81
;0cm 5.4pt 0cm 5.4pt">

;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt">
b3b3b3;0cm 5.4pt 0cm 5.4pt">

;0cm 5.4pt 0cm 5.4pt">
B190 33
;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt">
Dongfeng Cummins Engine Co.,Ltd
;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt;13.6pt">
m³
;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt;13.6pt">
1.8
;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt">
s
;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt">
40
;1.0pt;1.0pt; 0cm 5.4pt 0cm 5.4pt">
+

kg14490

kg5000

kg9295

/°25/10
2
kg4980/9510
ML
5900140

1. 240L 360L 660L 1100L 240L 360L 660L 1100L
 2. 240L 360L 660L 1100L 240L 360L 660L 1100L
 3. 240L 360L 660L 1100L 240L 360L 660L 1100L
 4. 240L 360L 660L 1100L 240L 360L 660L 1100L
 5. 240L 360L 660L 1100L 240L 360L 660L 1100L
 6. 240L 360L 660L 1100L 240L 360L 660L 1100L
 1. 2.5 600 800 M3

Dongfeng 12cbm







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com





Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com

