

| General Technical Parameters | | | |
|------------------------------|-------------------|---------------------------------------------------------------------------------------|---------------------|
| Overall Dimension | | 5995×2060×2950 (mm) | |
| Gross Vehicle Weight | | 4495(Kg) | |
| Curb Weight | | 3255(Kg) | |
| Chassis Specification | | | |
| Chassis Brand | | ISUZU | |
| Drive model | | 4*2 | |
| Cabin | | Double, Left Hand Driving, with air conditional | |
| Number of Passengers | | 2-3 | |
| Engine | Model | 4-stroke direct injection , 6-cylinder in-line with water cooling, inter-cooling, EGR | |
| | Power | 85KW/116HP | |
| | Emission standard | EURO 6 | |
| | Displacement | 2771(ml) | |
| | Fuel type | Diesel | |
| Gearbox | | 5Forwards & 1Reverse | |
| Brake System | | Air break | |
| Wheel Base | | 3360mm | |
| Front/Rear Axle Loading | | 1500/3000(Kg) | |
| Approach/Departure Angle | | 23/12(°) | |
| Overhang | | 1250/3545(mm) | |
| Tire | | 7.00R16 | |
| Max Driving Speed | | 90(km/h) | |
| Upperstructure Specification | | | |
| Cargo Body | Dimension | 2770×1850×380(mm) | |
| | Material | Q235 carbon steel | |
| | Cargo Thickness | Side 1.5mm, Bottom 2.5mm | |
| Working System | Boom Type | Straight 3-Arm telescopic boom | |
| | Crane | Crane Brand | XCMG or SANY or CLW |
| | | Range of Sprayer | 30m |
| | | Max Lifting Moment | 25(T.M) |
| | | Max Lifting Capacity | 2000(kg) |

| | | | |
|---------------------|-------------------------------------------------------------------------------------------|--------------------------|-------------|
| | | Max lifting height | 12(m) |
| | | Rotation angle | 360(°) |
| | | Installation space | 1150(mm) |
| | | Recommended power | 30(kw) |
| | | Maximum working pressure | 26(Mpa) |
| | | Max Flow | 63(l/min) |
| | | Crane weight | 3800(kg) |
| | Oil tank capacity | 160(L) | |
| | Leg | Leg type | H type |
| | | Leg Span | 2.28-5.9(m) |
| Hydraulic system | Pressure | 18(M pa) | |
| | Capacity | 70(l) | |
| Other Configuration | Control system in 2 side; diamond palt, yellow warning fire; 2.5T arm, etc. | | |
| Options | Caution light, air condition, inlet valve, medicine tray, pneumatic valve, cylinder, etc. | | |

□□□□□







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com