

## Technical specification

| Main specification  |   |                        |                                      |
|---|---|------------------------|--------------------------------------|
| Product model and name  | DTA5160GSSL4 water truck  |                        |                                      |
| Gross weight(Kg)  | 15950   | Drive type             | 4X2                                  |
| Payload(Kg)   | 10000   | Overall dimension(mm)  | 8320X2495X3080                       |
| Curb weight(Kg)   | 5755  | Cab seats              | 3                                    |
| Approach/departure angle(°)   | 18/13   | Front/rear hang(mm)    | 1530/2290                            |
| Axle No.  | 2   | Wheelbase(mm)          | 4500                                 |
| Axle load(Kg)   | 5950/10000  | Max speed(Km/h)        | 98                                   |
| Chassis specification   |   |                        |                                      |
| Chassis model   | HFC1166K1R1ZF   | Manufacturer           | Anhui Jianghuai Auto Co.,Ltd         |
| Brand name  | JAC   | Dimension(mm)          | 7030X2495X3610                       |
| Tyre specification  | 9.00R20   | Tyre No.               | 6                                    |
| Steel spring number   | 9/9+7   | Front track base(mm)   | 1830                                 |
| Fuel type   | Diesel  | Rear track base(mm)    | 1810                                 |
| Emission standard   | Euro 4  | Transmission           | 6 forward gear,1 reverse gear        |
| Cab   | Half height top cab with sleeper. luxurious interior trim with seats, power steering, Air condition is optional |                        |                                      |
| Engine model  | Engine manufacturer   | Displacement(ml)       | Power(Kw)                            |
| YC6J180-42  | Guangxi Yuchai Machinery Co.,Ltd  | 6500                   | 132□180HP□                           |
| Performance   |   |                        |                                      |
| Tank volume(m³)   | 10 to 15(10000 to 15000liter)   | Tank material          | Carbon steel Q235 or stainless steel |
| Water pump model  | 80QZF-60/90N  | Water pump flow(m³/h)  | 60                                   |
| Watering width(M)   | ≥14   | Water cannon range (M) | ≥28                                  |
| Feature and Application   |   |                        |                                      |
| <p><b>1).</b>Equipped with high power self-suction water pump that characterized by high-pressure and fast speed suction.</p> <p><b>2).</b>Equipped with front, rear and side sprinklers and high position sprinkler, and rear working platform.</p> <p><b>3).</b>The water cannon which is installed on the working platform can rotate by 360 degree and the water flow can be adjusted into various rain shape. There are straight shape, heavy rain, moderate rain and drizzle etc. The max range can reach 30M.</p> <p><b>4).</b>Equipped with fire coupling, flow valves, filter screen and water level gauge.</p> <p><b>5).</b>According to customers' request, the crane, high working platform and spraying machine also can be equipped.</p> <p><b>6).</b>Mainly used for washing on urban roads, watering and greening on trees, green belts and lawn and dust full of construction sites. And also used for drinking water delivery and fire fighting function etc.</p> |   |                        |                                      |

## JAC 4x2 10000Liter Water Tank Truck

### Water Tank Truck Image



远洋专汽  
Ocean-Auto

*Sale the best truck*





***Sale the best truck***



[www.chinatrucksupplier.com](http://www.chinatrucksupplier.com)



***Sale the best truck***



[www.chinatrucksupplier.com](http://www.chinatrucksupplier.com)





***Sale the best truck***



[www.chinatrucksupplier.com](http://www.chinatrucksupplier.com)



***Sale the best truck***







***Sale the best truck***

