

### ISUZU 6m<sup>3</sup> Sewage Suction Vacuum Tank Truck

General	Vehicle Brand	VELDLION
	Chassis Brand	ISUZU
	Overall Dimension	6700*2300*2700mm
	GWW Kerb Weight	10,000kg/15,480kg
Cab	Cab Capacity	3 persons allowed
	Air Conditioner	Air conditioner equipped
Engine	Fuel Type	Diesel
	Engine Brand	ISUZU, 4HK1-TCG40
	Power	190HP (139KW)
	Displacement	5193 ml
	Emission Standard	Euroll, Euro IV
Chassis	Drive Type	4X2, left hand drive
	Transmission	ISUZU MLD, Manual, 5-Forward & 1-Reverse
	Wheelbase/No. of axle	3815mm / 2
	Tyre Specification	8.25-16
	Tyre Number	6 tyres and 1 spare tyre
	Max Speed	100km/h
	Paint	Metallic paint
Super structure	Vacuum Tank Capacity	6m <sup>3</sup>
	Tank Material	Carbon Steel
	Suction Head	7m
	Vacuum Pump	High efficiency, vacuum rate up to 93%, quick suction and discharge
	Suction Hose	High quality, wire strengthened hose

Install vacuum Pump drive by engine through PTO,hydraulic system,multi-way valve,pressure gauges,water-gas separator,oil-gas separator,oil tank, reservoir,level inspection window and suction hose.

Rear door can be hydraulic opened for complete discharge of solid stuff.

↓

All other standard accessories: Tool kit,English manual .

Optional

- 1.Tank material could be mild steel stainless steel
- 2.Italy vacuum pump is available.







