Main specification								
Product model and name								
Gross weight(Kg)		Approximation and the contract of the contract		Drive type	Company of the compan		8X4	
		32070		Overall dimension(mm)		(mm)	27.077	
Curb weight(Kg)		2		Cab seats		(mm)	11260×2500×3570,3750 2	
Approach/departure angle(°)		16/13		NATIONAL CONTROL OF THE PARTY O		>	., 477	
Axle No.		4		Front/rear hang(mm		m)	1500/2010	
Axle load(Kg)		7000/7000/24000		Wheelbase(mm)			1800+4600+1350	
Max speed(Km/h)		90						
Chassis specificatio								
Chassis model	DFL	CONT. HOLD CO.		ufacturer		Dongfeng Trade Vehicle Co., Itd		
***************************************		40000044				1170	00×2496×3025,3563	
Tyre specification 11.00		0R20	Tyre No.			12	12	
Steel spring number 13/1		2,4/4/12,	Front track base(r		nm)	2022/2022,2041/2041		
Fuel type Dies		el Rear track base(m		nm)	1830/1830			
Emission standard Euro		3 Transmission			10 forward gear,1 reverse gear			
Cab HW76 medium cab, luxurious interior trim with seats. And air condition.								
Engine model	Engine manufacturer			Displacement(ml)			Power(Kw)	
1131530		gfeng cummins ne Co.,Ltd		6700			230	
Performance								
	Max lif	Max lifting capacity(kg)			1600	16000		
Lifting system	Fully e	Fully extended max lifting capacity(kg			7310			
	Effective length of the bracket arm(mm)			1460 to 3099				
	Bracket arm flexible stroke(mm)				1639			
Hoisting system	Max hoisting capacity(kg)			18000				
	Farthest hoisting capacity(kg)			q)	8000			
	Max hoisting height(mm)				6500			
,	QTY(piece)			2				
		Rated traction for each(kN)				100		
Winch	-	Steel wire rope diameter(mm)				18		
	,000x0059cts4545	wire rope length		000 6 -17	45			

Instruction

The wrecker truck is equipped with lifting, pulling and hoisting etc. on the basis of special purpose chassis. It has the function of lifting, pulling, hoisting, lift platform and load transportation and others. It is mainly used for road fault vehicles, city peccancy vehicles and emergency rescue etc. The wrecker truck is widely used in highway, the traffic police, airport, wharf, auto repair industry and highway departments etc. It can be used to clean up the accident, fault, violation vehicles etc. timely and quickly.











