

DFAC 6-10T Freezer Redroz refrigerada Camión de entrega de carne de moda

Especificación/parámetro

- 1 Nombre del camión: camión del refrigerador
- 2 Tipo de unidad: 4x2
- 3 Volante de dirección: Transporte a mano izquierda
- 4 dimensión general mm: 6995x2285x3250
- 5 Tamaño interno del gabinete mm: 5000x2050x2100
- 6 peso bruto kg: 8275
- 7 peso en bordillo kg: 4580
- 8 Número de ejes: 2
- 9 distancia entre ejes: 3800
- 10 km de velocidad máxima/h: 103
- 11 Modelo de chasis: EQ1080SJ8BDC
- 12 marca de chasis: DFAC
- 13 Fabricante del chasis: Dongfeng Motor Co., Ltd.
- 14 Modelo de motor: CY4SK251
- 15 Fabricante del motor: Dongfeng Chaoyang Diesel Co., Ltd
- 16 desplazamiento/potencia ML/kW: 3856 ml/115kW
- 17 Estándar de emisión: Euro V
- 18 Tipo de combustible: diesel
- 19 Especificación de neumáticos: 7.50R16
- 20 Transmisión: 6 engranajes hacia adelante y 1 marcha atrás
- 21 eje delantero /eje trasero T: 2.2t /4.2t
- 22 cabina: una sola fila, la cabina se puede girar hacia adelante, con dirección asistida.
- 23 asientos de taxi hombres: 3
- 24 Grado de temperatura criogénica Celsius -5 a -18 grados

Fotos del producto como se muestra a continuación









Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp: & Telephone: +86-18607222773 - Email: brenda@ciclwtruck.com







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com

Product details

01 NUMERICAL CONTROL INSTRUMENTS

All the instruments are the numerical control synchronous motor controlled



AIR CONDITIONER

with double sleepers , air conditioner, with large storage warehouse. -5°C — 15°C optional

02

03 CAPACITY CLASSIS OPTIONAL

Capacity: 0.5-30 ton refrigerator truck
Steering wheel Emission standard
Truck chassis



FLOATING SUSPENSION

All the trucks are four-point support fully floating suspension+shock absorbers with transverse

04

Choice what you need



Standard(clean)



Guide rail of bottom Aluminum steel of bottom



Ventilating slot(bottom)



304 Stainless skin



Ventilating slot(side)



Groove ventilating shot



Guide rail of meat hook



Goods shelf



Separate box




Mobile sparate hard board



Mobile sparate soft board



Optional Spare Parts



BATCH DEPARTURE

WELCOME TO OUR COUNTRY

