

Principal especificación			
Modelo de producto y nombre	ZZ1087D3814D183 Howo Wrecker Truck		
Peso bruto (kg)	8280	Tipo de unidad	4x2
Peso en acera (kg)	5085	Dimensión general (mm)	7430x2300x2500
Ángulo de enfoque/salida (°)	18/11	Asiento de taxi	3
Eje No.	2	Costa delantera/trasera (mm)	1160/2470
Carga del eje (kg)	2870/5410	Distancia entre ejes (mm)	3800
Velocidad máxima (km/h)	90	Tipo de dirección	Se puede ofrecer un disco de la mano izquierda o el disco derecho
Especificación de chasis			
Modelo de chasis	ZZ1087D3814D183	Fabricante	China Sinotruk Group Jinan Vehículo comercial Co., Ltd
Nombre de la marca	Sinotruk howo	Dimensión (mm)	6810x2010x2350
Especificación de neumáticos	7.50R16LT	Neumático No.	6
Número de resorte de acero	3/5+3	Base de pista delantera (mm)	1600
Tipo de combustible	Diesel	Base de pista trasera (mm)	1535
Estándar de emisión	Euro 3	Transmisión	5 engranaje de reenvío, 1 marcha atrás (manual)
Taxi	Cualquier color como su solicitud.Una sola fila, lujo de interior de interior con asientos. La cab hacia adelante.Y dirección asistida con aire acondicionado opcional.		
Modelo de motor	Fabricante de motores	Desplazamiento (ml)	Poder (KW)
CY4102-E3C (con turbo)	Dongfeng Chaoyang Chaochai Power Co., Ltd	3856	91 (125hp)
Actuación			
Longitud plana (mm)	5600	Ancho plano (mm)	2300
Capacidad de transporte de plataforma máxima (kg)	4000	Ascensor máximo peso (kg)	3000
Partes hidráulicas	Importado		
Accesorios de vehículos			
Ruedas de entrenamiento, cuerda de alambre de acero, vendaje, alarma lámpara, cubiertas de neumáticos, gato, llanta de repuesto, herramientas de conductores			
Instrucción del camión de Wrecker			
El nombre completo de camión de restricciones se llama carretera Wrecker Truck, también llamado remolque y camión de rescate en carretera.Tiene el poderoso función y puede transportar dos autos al mismo tiempo.Es la elección ideal para Departamento de gestión de carreteras y plataforma de reparación de automóviles para proceder a la carretera reparación y rescate.			

Sinotruk Howo 4 toneladas de camiones Road Wrecker de la siguiente manera



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@elclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com







01

BRACKET ARM

Can be completed at one one-time two failure car cleaning, high efficiency



Can implement a drag two function, bracket part can also realize the fault car consignment



02

OPERATION LEVER

Each side of the control handle can achieve full function operation



EASY TO OPERATE

The action of each part is controlled by the handle of the reversing valve

03

LIFT HYDRAULIC CYLINDER

lifting hydraulic cylinder make the flatbed moves down until the back side touches the ground



The auxiliary frame is raised to a certain tilt angle by the hydraulic cylinder of lifting mechanism during work.



Whatsapp&Telephone:+86-18607222773

04

BIGGER LOADING CAPACITY

Flatbed is made from Q235 steel press forming with high strength



Whatsapp&Telephone:+86-18607222773

05

FLATBED WRECKER TRUCK MOUNTED CRANE

Optional installations are available for your actual demand



AFTER-SALES SERVICE

Warranty

The guarantee period for all equipment /accessories is 12 months from Shipment date or 25000 km. Lifelong service is available.

SPARE PARTS

We provide spare parts to our customers with high quality , exact fitness and appropriate function . All spare parts will be delivered together with truck shipment .

INSTALLATION MAINTENANCE

Whatsapp&Telephone: +86-18607222773

We can provide installation service if necessary . After installation we can make a video to let you know the operation status .

TRAINING

We can offer training service according to customer's request , including product training , operation training , maintenance and technical training .

TECHNICAL ADVICE

If there is any technical problem , we can give solution to client in short time , if it can't be solved by client , our technician can fly to client's place to offer help .

SERVICE PROCESS

