

General	Vehicle Brand	CLW	
	Chassis Brand	Isuzu (QL1070A6HWY)	
	Overall Dimension(mm)	6350×1980×2750	
	GVW/Curb Weight(kg)	6545/4170/2000	
Chassis Parameters			
Cab	Cab Seat	2+3	
	Air Conditioner	Yes	
Engine	Fuel Type	diesel	
	Engie Model	4KH1CN5LS	
	Engine Brand	Isuzu	
	Power(kw/hp)	72/98	
	Displacement(cc)	2999	
	Emmission Standard	Euro5	
Chassis	Drive Type	4*2	
	Transmission	5 speed, Manual	
	Wheelbase(mm)	3360	
	Tyre Specification	7.00R16	
	Tyre No.(pcs)	6+1	
	Max Speed(km/h)	95	
	Paint	Red	
Fire Truck Water Tank Structure Parameters			
Tank Volume	2000L	Tank Material	Carbon Steel
Tank Thickness	4/3/3mm	Fire pump	CB10/20
Fire monitor	PS20	Color and	Optional
Standard configuration	Chassis,sub frame, van body,national standard equipment box, 25 units national standard fire-fighting equipment,fire pump(CB10/20 according to the capacity), fire gun(PS20 according to the capacity), fire power take off, sliding gate, row type lights, reel, common tools,rear climbing ladder,water tank.		
Selective configuration	foam type,dry powder type,stainless tank,other requirements.		

Images de référence:





Whatsapp & Telephone: +86-18607222773 Email: brenda@clcwtruck.com







Whatsapp & Telephone: +86 48607222773 Email: brenda@ciciwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clcwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clcwtruck.com



程力专汽
SG20
Whatsapp & Telephone: +86-18607222773 Email: brenda@clcwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciciwtruck.com