

Fonction:

Le pétrolier (également appelé réservoir de transfert de carburant, Bowser de carburant, camion-camion-huile, camion-camion-pétrole, réservoir d'huile pour camion, Bowser diesel, pétrolier diesel, réservoir de carburant à essence, camion de distribution de carburant) est utilisé pour transporter l'huile, le diesel, l'essence, le kérosène, etc.

Il peut être divisé en de nombreux compartiments pour transporter différents types de carburants, lubrifiant, pétrole brut, alcool

Pompe à huile équipée, avec pompe dans la fonction de pompe.

Caractéristiques:

---- Châssis Forland, performance parfaite.

---- moteur Quanchai, super puissant; Performance fiable, pas de refonte à moins de 100 000 km.

---- Belle forme, structure rationnelle.

---- Pompe de carburant super puissante, très efficace, avec pompe dans la fonction de pompe.

---- La durée de vie massive, durable et longue.

Spécification:

Mots clés similaires: réservoir de transfert de carburant Isuzu, camion de livraison de carburant IVECO, réservoir de stockage à huile, camion de transport à huile, pétrolier brut, camion-citerne diesel, Bowser de carburant à essence, camion de plein air

1	Product name		ISUZU 6000L refueling truck
2	Drive type		4x2
3	steering wheel		Left hand drive
4	Tank volume	M ³ (L)	6
5	Overall size	mm	6180×2080×2700
6	Gross weight	kg	8280
7	Rated payload	kg	3935
8	Curb weight	kg	4150
9	Axle		2
10	Wheelbase	mm	3360
11	Max speed	Km/h	80
12	Chassis model		QL1070A5HAY
13	Chassis brand		ISUZU
14	Chassis manufacturer		<u>Qingling Auto motor Co.,Ltd</u>
15	Engine Model		4KH1CN5HS
16	Engine manufacturer		<u>QinglingISUZU(chongqing)engine</u> co.,ltd
17	Displacement/Power	ml/kw	2999/96KW/ 130HP
18	Emission		Euro 5
19	fuel type		Diesel
20	Tyre specification / Tyre number		7.00R16 / 6
21	Tank material and thickness		Q235 carbon steel, tank thickness 4.2mm,head thickness 4.5mm
22	oil pump		Yes
23	refueling machine		Large flow tanker ,with one refueling gun
24	automatic return oil pipe		15 M

25	European Standard opening		1 piece
26	sea valve		1 piece
27	<p>Usage: A. with multiple baffle plates in the tank,the tank has the advantages of high intensity,stability,transporting safety etc</p> <p>B. Oil pump is installed to suck or discharge oil,with high suction pressure and speed</p> <p>C. Computer refueling machine is selected,with a 15 meters automatic return oil pipe and refueling gun, achieving mobile refueling <u>fuction</u></p> <p>D. According to user's needs,the tank can be designed as a simple compartment or several compartments to contain different oils</p>		

Images de référence:





Whatsapp & Telephone: +86-1860722773 Email: brenda@clcwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com




Whatsapp & Telephone: +86-18607222773 Email: brenda@clwtruck.com

REFUELING TRUCK

Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com