

spécificaTion principale			
Modèle de produit	JDF5060xLCQ4 Réfrigérateur Tmélée ouverte		
Poids brut (kg)	6600	Type de lecteur	4x2
Charge utile(Kg)	3570	Dimension hors aut(mm)	6200x2000x2900
Poids à vide (kg)	2900	Sièges de Taxiine	2
Angle d'approche/départ (°)	24/14	Suspension avant/arrière (mm)	1015/1825
Numéro d'essieu	2	Empattement (mm)	3360
Charge par essieu (Kg)	2330/4270	Vitesse maximale(Km/h)	105
Spécification du châssis			
Modèle de châssis	QL1070BUHAY	Fabricant	Qingling Auto Co., Ltd.
Nom de la marque	ISUZU	Dimension(mm)	5900x1880x2160
Spécification des pneus	7.00R16 14PR	Numéro de pneu	6
Numéro de ressort en acier	8/65	Base de piste avant (mm)	1504
Type de carburant	Diesel	Base de voie arrière (mm)	1425
Norme d'émission	Euro 6	Transmission	5 marche avant, 1 marche arrière
Cab	Une rangée, direction assistée, climatisation, USB et radio		
Modèle de moteur	Constructeur de moteurs	Déplacement(ml)	Pouvoir(Kw)
4KH1CN6LB	Moteur Qingling ISUZU Cie., Ltd	2999	88(120 ch)
Performance			
Taille de la carrosserie du fourgon (mm)	4350x1800x1800	Capacité de charge (tonnes)	3
Température de réfrigération la plus basse (°C)	-5 to -18 degrés Celsius		
Fonctionnalité et application			
Le camion frigorifique est le camion fourgon fermé utilisé pour transporter les produits surgelés ou frais. Ce camion est composé de châssis de véhicule, Fourgon isolant en polyuréthane, groupe frigorifique et enregistreur de température. Il est couramment utilisé pour transporter des aliments surgelés, des produits laitiers, légumes et fruits et médicaments contre les vaccins, etc. Pour les exigences particulières des camions, telles que le transport de la viande, eux crochet de restauration, rail de guidage en alliage d'aluminium et fentes de ventilation, etc.les arts peuvent être choisis et installés.			

Camion frigorifique

image comme ci-dessous



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com





Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com



Choice what you need



Standard(clean)



Guide rail of bottom Aluminum steel of bottom



Ventilating slot(bottom)



304 Stainless skin



Ventilating slot(side)



Groove ventilating shot



Guide rail of meat hook



Goods shelf



Separate box



Mobile sparate hard board



Mobile sparate soft board


Optional Spare Parts



Meat Hanging Hooks



Side Door



Ventilated Chamfer



Rhombus figured aluminium plate

OUR CERTIFICATE



COMPANY PROFILE

Chengli Special Automobile Co., LTD is a big manufacturer of special trucks with well-equipped facilities and strong technical force, located in Suizhou City, Hubei Province, China.

At the end of 2015, the company's total assets attained RMB 2 billion, annual production value reached 100 thousand units. Within just 10 years, Chengli from a name without the propagation of local private enterprise has developed into a famous private-owned enterprise group with employs more than 8000 people and area of more than 2000 acres. Complying with different quality standards, Chengli has successfully passed ISO9001 Certification, ISO 14001 Certification, OHSAS18001 Certification, CCC Certification, ASME Certification and ADR Certification.

Our products are widely used in municipal virescence, environmental sanitation, petrochemical industry and pressure vessel. It has registered trademark "CHENGLIWEI" abbreviated to CLW. Our factory cooperates with famous chassis manufacturers, such as DONGFENG, FAW, SINOTRUK, ISUZU, FOTON, JAC, JMC and etc.

[Read More +](#)

