

Chassis	DFV1161GDP6DJ1	
Cubage (T)	8000Litres to 10000Litres	
Vehicle	Overall dimension(length/width/height)mm	7980*2480*3100
	G V W(kg)	18230
	Payload (kg)	10000
	Kerb mass(kg)	8005
	Fuel Type	Diesel
	Fuel consumption(L/100km)	11
	Top speed	90
Engine	Model	B190 33
	Exhaust/Power(kw)	5900/140(190HP) 190HP
	Manufacturer	Dongfeng Cummins Engine
	Type	6-in-line water cool Turbo Charge engine
Chassis	Drive type	4×2
	Wheelbase (mm)	4500
	Tire specification	9.00-20 or radial 9.00R20
	Air condition	with
suction system	suction pump	Single Stage Rotary Oil Seal Vacuum Pump
special parameter	Vertical suction height	≥8
	working pressure	8500Pa
	rotation speed	500
	suction speed	98L/S
	power	5.5kw
	inlet diameter	50mm
	filling time	Less Than 5s
discharge time	Less Than 4s	

本公司 代理 各种 品牌 的 抽油 机， 性能 稳定， 操作 简单， 维护 方便， 是 各种 工业 抽油 的 理想 选择。 我们 提供 各种 规格 的 抽油 机， 以满足 不同 客户 的 需求。 我们 还 提供 各种 配件 和 维修服务。 我们 的 产品 已经 在 全球 范围内 得到了 广泛 的 应用 和 认可。 我们 的 目标是 为客户提供 最 优质 的 产品和服务。

我们 的 抽油 机 具有 以下 特点：

1. 结构 紧凑， 体积小， 重量轻， 便于 运输 和 安装。

2. 运行 平稳， 噪音 低， 使用寿命长。

3. 操作 简单， 维护 方便， 故障 率低。

4. 适应 性强， 可在 各种 恶劣 环境 下 工作。









Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com