

Techincal
 0000000000:

000000	0000	0000000000
00000000 00 000		00000000 00000000 0000 000000 0000 0000
000000 0000		DFL1120B13
0000 0000 0000 00000000 000000 0000 0000000000 0000000000/0000000000 0000	0000000000	11050
		10855
	00000	10100×<000000 000000 = "0000: 0000 "> 2500×3800
		4700
	°	20/10
00000 00 00000		ISB180 40
00000 000000000		0000000000 000000 00000 0000 , 000000000
0000000000 00000		00000 IV
0000000000 / 000000	00000/kw	5900/132
0000 00000 00000000000 / 00000000	00000	9.00-20
00000000 0000	00000/00000	90
00000000 0000000 0000000	00	20/22
0000000 00000000000000000 0000	00000000000	200
0000000 0000000000000 00000000000000	00000	2
0000000000 00000<000000 0000000 = "0000: 0000 "> 00000 00000000000<000000 0000000 = "00000000- 00000000: 00; 0000: 00000 ">0	°	360
000000000 00000000 / Q'ty	00000	00-00000, 4 00000
000000000	00000 00000 00000 00 000000 00000000000000000 0000000 00 00000000 00 0000000000 00000 00, 00 0000 00 0000000000 0000	

00000000000 0000000000 22 00000 000000 000000000000000 0000000000 000000
 00000000 00 0000000:





Whatsapp & Telephone: +86-18607222773 Email: brenda@clwtruck.com





Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com

