

<##### = "MSO-SPACERUN: 'YES'; #####-#####: ##; MSO-ASCII-FONT-FAMILY: CALIBRI; mso-hansi-font-family: calibri; mso-bidi-font-family: '##### #####'; #####-#####: 10.5000pt; MSO-FONT-Kerning: 1.0000pt; ">

Item	Unit	Description
Model		ISUZ brand dump truck
Dimension	mm	8700*2500*3450
Cargo Box	Dimension	5800*2300*1200 / Hydraulic cylinder is middle design, right side dump
	Side/Bottom	6 mm / 8 mm thick
	Hydraulic	DN 220 mm cylinder, China brand
Curb Weight	kg	12230
Load weight	kg	Around 20~25 tons
G.V.W	Kg	30000
Wheel Base	mm	4650+1300
F/R track base	mm	2022/1830
F/R Axle-load	Kg	7000/16000/16000
	Suspension	Steel Spring
Approach/Departure angle	.	19/25
Traction system	Type	6*4
Tire Specification/Number	Type	11.00R20, 10+1 Spare Unit
Max speed	Km/h	85
Engine	Model	6HK1-TCH
	Emission	7790 cc / 221 Kw, 2200 RPM
	Horse Power	300
	Power	980 N.m-2100r/min
	Type	Diesel, 6 cylinders, Turbocharged, water cooling.
	manufacturer	<u>Qingling</u> ISUZU engine Power Co.,Ltd
Gearbox	model	9F&2R, Manual, FAST brand
Electronic	V	24
Cab	Person	3
	Type	Reversible, Manual
	Steering	Powering, LHD or RHD
	Installing	Mp3, Radio
	Air Conditioner	Hot Wind / Cold Wind

#####



Whatsapp & Telephone: +86-18607222773 Email: brenda@clwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com