

Jepun. Spesifikasi Lori Tow Isuzu

Spesifikasi utama			
Model Produk dan Nama	JDF5071TQZQ4 WRECKER TRUCK		
Berat kasar (kg)	6900	Jenis pemacu	4x2
Berat Curb (kg)	5505	Dimensi Keseluruhan (mm)	7400x2300x2410,2600
Sudut Pendekatan/Berlepas (°)	21/10	Kerusi teksi	3
Gandar No.	2	Hang depan/belakang (mm)	1110/2475
Beban gandar (kg)	2350/4550	Jarak roda (mm)	3815
Kelajuan maksimum (km/j)	95		
Spesifikasi casis			
Model casis	QL10909KARY	Pengilang	Qingling Motor Co., Ltd
Jenama	Isuzu	Dimensi (mm)	6980x2170x2350
Spesifikasi tayar	8.25-16-14pr	Tayar No	6 dan 1 (untuk ganti)
Nombor Spring Steel	8/10+6	Pangkalan Trek Depan (mm)	1680
Jenis Bahan Api	Diesel	Pangkalan Trek Belakang (mm)	1650
Standard pelepasan	Euro 4	Penularan	6 Gear Forward, 1Reverse Gear (Isuzu MLD)
Teksi	Warna teksi: merah putih atau warna lain sebagai permintaan anda. Baris tunggal, mewah Trim dalaman dengan tempat duduk, stereng kuasa dengan keadaan udara.		
Model enjin	Pengilang enjin	Pemindahan (ml)	Kuasa (kw)
4HK1-TCG40	Qingling Isuzu Engine Co., Ltd	5193	139 (190hp)
Prestasi			
Panjang rata (mm)	5600	Lebar rata (mm)	2300
Max Flat Carrying berat (tan)	5	Berat angkat maksimum (tan)	3
Aksesori kenderaan			
Roda latihan, tali dawai keluli, pembalut, Lampu penggera, Penutup tayar, jack, tayar ganti , alat pemandu			

Imej trak tunda isuzu Jepun



Whatsapp & Telephone: +86-18607222773 Email: brenda@clcwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com





basic equipment

warning light



hydraulic winch



tow wheeler



operating valves



real towing device



washing hand tank



New type flat bed .
has big friction
force will make
truck more safety .
and the flatbed
more lighter

Tilte angle flatbed truck



full sit ground flatbed truck

