

| <b>I.Pangunahing mga pagtutukoy</b> |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |                                    |                      |
|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------|----------------------|
| Modelo ng Produkto □ Pangalan       | CLW9400Gyy Fuel Tank Trailer (Chemical Truck)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |                                    |                      |
| Kabuuang Timbang (kg)               | 39800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Pangkalahatang Dimensyon (mm)      | 12980 × 2500 × 3820  |
| Payload (kg)                        | 28000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Harap/likuran hang (mm)            | -/1860               |
| Curb Timbang (kg)                   | 11800                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | Wheelbase (mm)                     | 7200+1310+1310       |
| Dami ng tangke (M3)                 | 44                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Diskarte/anggulo ng pag - alis (°) | -/16                 |
| Bilang ng mga ehe                   | 3                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            | Axle load (kg)                     | -/23850 (three-axis) |
| Tank materyal                       | Q235B Carbon Steel                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | Kapal ng tangke                    |                      |
| Axle                                | Fuhua13t □ Fuhua15t □ 16T o BPW12T □ 14t opsyonal □                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                    |                      |
| Suporta sa binti                    | 28T                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                    |                      |
| Tow point                           | 90#                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                    |                      |
| <b>li.others</b>                    | Ang trak na nilagyan ng Euro Standard Tank Mouth, anti-slipping hagdan, safety walkway, handrail, water box, electrostatic sinturon, fire extinguisher, toolbox, ekstrang gulong rack at iba pa.                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                    |                      |
| <b>III.Instructions</b>             | <p>Nilagyan ng maraming mga plato na patunay ng alon, ang tangke ay may mga katangian ng mataas na lakas, mahusay na katatagan, ligtas transportasyon .. Ayon sa mga kinakailangan ng mga kliyente, ang tangke ay maaaring maging nahahati sa maraming mga compartment para sa iba't ibang mga langis □ Sa karagdagan □ langis ng bomba □ daloy ng metro, □ likido tagapagpahiwatig ng antas ng □ Bottom valve □ Pag -init ng tubo □ pagkakabukod Ang mga layer at iba pang mga aparato ay opsyonal □ Ano 's higit pa, 1-3 self-flow Ang mga bibig o higit pa ay maaaring mai -install sa likod at sa gilid ng tangke.it nakasalalay sa mga customer' mga kinakailangan.</p> |                                    |                      |
| <b>liii.applications</b>            | Para sa langis ng transportasyon                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                    |                      |

## **. 45000 litro fuel tanker trailer**

### **Imahe ng produkto**



## PRODUCT DETAILS

---



### 01

---

Oil Tanker Semi Trailer is a tanker with a trailing head connected to the trailing section. Compared with the conventional single tanker tanker tanker, oil transport can effectively improve the transportation efficiency. In the same tonnage situation, reduce transportation costs, saving fuel consumption.

### 02

---

The tank body is made of 4mm or 6mm high-quality carbon steel according ,The shape of the tank body is divided into oval or square round tanks, which can contain 1-4 kinds of oil products. Can also produce heating and heat preservation series tanks.



### 03

---

A plurality of anti-wave baffles are arranged in the tank body. High pressure gas leak test is adopted to ensure that the tank body has high strength, stable center of gravity and safe and stable vehicle transportation.

## PRODUCT ADVANTAGES

---

1. Heavy duty and extra durability designed; Opting for high tensile steel Q345B, welded by automatic Submerged-Arc processes.
2. Heavy machinery suspension with leaf spring.
3. Two-line brake system with automatic brake system/chamber.
4. Welding tightness is strictly tested for solid tires, which are highly elastic and wear-resistant.
5. The material of the storage tank can be aluminum alloy, carbon steel, stainless steel, etc.



