

▣pangunahing mga pagtutukoy▣

modelo ng produkto,pangalan	CLW5250JSQ3 Truck Sa Crane		
Gross sasakyan timbang (kg)	25000	type drive	6 x 4
Kargamento (kg)	9815	cab upuan (lalaki)	3
Gilid ng bangketa timbang (kg)	14,990	Pangkalahatang dimensyon (mm)	11980×2500×3750
Diskarte / alis anggulo (°)	20/13	Box panloob na sukat (mm)	8500×2294×550
Bilang ng mga axles	3	Front / hulihan hang (mm)	1460/2870
Axle load (Kg)	7000/18000	Wheelbase (mm)	5700 + 1300
Max bilis (km / h)	90		

▣pagtutukoy chassis▣

chassis modelo	DFL1250A9	Tatak	Dongfeng
tagagawa	Dongfeng Motor Corporation	Mga gulong No.	10
Diskarte / alis anggulo (°)	20 / 16,15,13	Tire specification	11.00-20
Steel number spring	8/9	Front track (mm)	2040
type fuel	diesel	Rear track (mm)	1860/1860
paglabas standard	Euro III	Transmisyon	9 gears
cabin	D310 flat karaniwang taxi, airbag shock absorber driver seat, channel dashboard, na may air conditioning		
engine modelo	engine tagagawa	Pag-aalis (ML)	Power (KW)
C260 33	Dongfeng cummins engine co., LTD	8300	191

▣Crane specification▣

Crane modelo	SQS250	Crane tatak	XCMG
Uri ng Crane	Straight boom crane	Crane timbang (kgs)	2800
Max nakakataas timbang(kg)	12000	Max lift height(m)	14.5
Working radius (m)	12.5	pamamaraan ng operasyon	High seat control
Bilang ng mga armas	4	Outrigger (PC)	4

▣Pag-andar▣

truck ay binubuo ng chassis, kahon, kapangyarihan tumagal-off at crane, pagkamit ng cargo pag-aangat at paglipat sa pamamagitan haydroliko pag-aangat at teleskopiko system. Sa pangkalahatan, H-type batangan ay sa gamit upang mapagtanto ang kanyang katatagan. Upang ma-karagdagang strengthened katatagan ng truck, hulihan batangan din ay maaaring sa gamit kung ang customer ay nangangailangan. Ang trak Maaari 360 ° Patuloy na nagpapaikot.

6x4 Dongfeng Kinland 12 ton Lorry inimuntar Crane

Imahe ng Produkto:











www.chinatrucksupplier.com