

Technical Specification

pangunahing mga pagtutukoy

modelo ng produkto, pangalan	ALA5160GXEDFL3 fecal higop trak		
Gross weight (Kg)	16000	type Driving	4 x 2
Kargamento (Kg)	7780	Pangkalahatang dimensyon (mm)	8750 × 2480 × 2820
Gilid ng bangketa timbang (kg)	8025	Cab upuan (lalaki)	3
Diskarte / alis anggulo (°)	20/13	Front / hulihan hang (mm)	1430/2820
Axle No.	2	Wheelbase (mm)	4500
Axle load (Kg)	6000/10000	Max bilis (km / h)	90

pagtutukoy chassis

chassis modelo	DFL1160BX2	paggawa	Dongfeng Automobiles Co., Limited
Tatak	Dongfeng	Pangkalahatang dimensyon (mm)	7790 × 2370 × 2760
Tire specification	9.00R20	Mga gulong No.	6 + 1 (Reserbang gulong)
Steel number spring	8/10 + 8	Front track (mm)	1880
Uri ng panggatong paglabas standard	diesel	Rear track (mm)	1800
taksi	Euro 3	gear box	6 forward gears, 1 reserve gear
	Marangyang interior at seat belt, sleeper, na may kapangyarihan pagpipiloto, opsyonal air conditioning		

engine modelo	engine paggawa	Pag-aalis (ML)	Power (KW)
B190 33	Dongfeng cummins engine co., LTD	5900	140

Tank katawan

Tank kapasidad(m ³)	10.2	Tank materyal	Q235 carbon steel
---------------------------------	------	---------------	-------------------

Main Katangian

1) Ang trak Nilagyan espesyal vacuum higop bomba, na kung saan ay inilapat sa pagsusotae, dumi sa alkantariya, putik at iba pang mga likido halo-halong may maliit na suspendido granules.

2) Fecal higop pipe ay maaaring paikutin may 360 degrees. Puno ng gasolina pumping oras: ≤ 5min, higop lalim: ≥ 6m, dalawang discharge paraan: may presyon naglalabas at self-agos discharge.

3) Ang trak ay ginagamit para sa paglilinis ng septic tank, sewage ditches at sewers at iba pa

Chinese Dongfeng Kingrun 10200 Liters 2640 Gallon Fecal Higop Truck

Imahe ng produkto



远洋专汽
Ocean-Auto

Sale the best truck



www.chinatrucksupplier.com



Sale the best truck



www.chinatrucksupplier.com



Sale the best truck



www.chinatrucksupplier.com



Sale the best truck



www.chinatrucksupplier.com



远洋专汽
Ocean-Auto

Sale the best truck



www.chinatrucksupplier.com