

Japanese Isuzu tow truck spec.

Pangunahing detalye			
Modelo ng produkto at pangalan	JDF5071TQZQ4 Wrecker Truck		
Gross weight (kg)	6900	Klase ng pagmaneho	4x2
Curb Timbang (kg)	5505	Pangkalahatang Dimensyon (mm)	7400x2300x2410,2600
Diskarte/anggulo ng pag -alis (°)	21/10	Upuan ng taksi	3
Axle No.	2	Harap/likuran hang (mm)	1110/2475
Axle load (kg)	2350/4550	Wheelbase (mm)	3815
MAX SPEED (km/h)	95		
Pagtukoy ng Chassis			
Modelong Chassis	Ql10909Kary	Tagagawa	Qingling Motor Co, Ltd
Tatak	Isuzu	Dimensyon (mm)	6980x2170x2350
Pagtukoy sa gulong	8.25-16-14pr	Tiro Hindi.	6 at 1 (para sa ekstrang)
Numero ng bakal na tagsibol	8/10+6	Front track base (mm)	1680
Uri ng panggatong	Diesel	Rear Track Base (mm)	1650
Pamantayan sa paglabas	Euro 4	Paghawa	6 pasulong na gear, 1reverse gear (Isuzu mld)
Taksi	Kulay ng taksi: Puti na pula o iba pang mga kulay bilang iyong kahilingan. Solong hilera, maluhong Panloob na trim na may mga upuan, power steering na may air condition.		
Modelo ng engine	Tagagawa ng engine	Paglilinis (ML)	Power (KW)
4HK1-TCG40	Qingling Isuzu Engine Co, Ltd	5193	139 (190hp)
Pagganap			
Haba ng Flat (mm)	5600	Flat Width (mm)	2300
Max flat dala Timbang (tonelada)	5	Max lift weight (tonelada)	3
Mga Kagamitan sa Sasakyan			
Mga gulong sa pagsasanay, bakal na kawad ng kawad, bendahe, Lampara ng alarma, Mga takip ng gulong, jack, ekstrang gulong , Mga tool ng driver			

Japanese Isuzu tow truck na imahe



Whatsapp & Telephone: +86-18607222773 Email: brenda@clcwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com





basic equipment

warning light



hydraulic winch



tow wheeler



operating valves



real towing device



washing hand tank



New type flat bed .
has big friction
force will make
truck more safety .
and the flatbed
more lighter

Tilte angle flatbed truck



full sit ground flatbed truck

