☐Main specifications ☐					
Product model name EQ5311JSQF Truck With Crane					
Gross vehicle weight(kg)	30900	Drive type			8 x 4
Payload(kg)	14105	cab seats (man)			3
Curb weight(Kg)	16600	Overall dimension (mm)			11980×2490×3850
Approach/departure angle (°)	34/11	Box internal dimension(mm)			8500×2294×550
Number of axles	4	Front/rear hang(mm)			1205/3275
Axle load(Kg)	6450/6450/18000	Wheelbase(mm)		2140+4060+1300	
Max speed(Km/h)	90				
□Chassis specifications					
Chassis model	EQ5311GFJ	Brand	Brand name		Dongfeng
Manufacturer	Dongfeng Motor	Tires No.			12
	Corporation	11163	THES NO.		
Approach/departure angle (°)	34/18	Tire specification			10.00-20
Steel spring number	9/9/10	Front track(mm)		1950/1950	
Fuel type	Diesel	Rear track(mm)			1860/1860
Emission standard	Euro III	Transmission		9 gears	
Cabin	Blue other colors are available, Flat, luxurious interior trim and seat, with air conditioning.				
Engine model	Engine manufacturer		Displacement	(ml)	Power(Kw)
YC6A260-31	Guangxi Yuchai Machinery Co.,Ltd		7255		191
□Crane specification□					
Crane model	SQS300	Crane brand		XCMG	
Type of Crane	Telescopic boom crane	Crane Weight		4500	
Max lifting weight∏kg∏	12000	Max lift height∏m∏		14.5	
Working radius(m)	12.5	Operation method		High seat operation / Side operation	
Number of arms	4	Outrigger (pcs)		2 or 4	
[Functions]					
The twicely consists of character h				· Cı ·	1 1 11 1

The truck consists of chassis, box, power take-off and crane, achieving cargo lifting and moving through hydraulic lifting and telescopic system. In general, H-type outrigger is equipped to realize its stability. To be further strengthened stability of the truck, rear outrigger also can be equipped if the customer require. The truck can 360 ° continuously rotate.

Lorry Mounted Crane China Supplier, Lorry Mounted Crane China Manufacturer, Basket Crane Truck for Sale

Product Image:











Kindly note we can provide straight boom crane and folding crane according to customers' requirement. And the crane also can be equiped on flatbed truck for transport construction machinery like excavator, wheel loader, harvest ect undisassemble machines.

















