

Technical Specification

Main specifications

Product model	EQ5310JSQT Truck With Crane		
Gross vehicle weight(kg)	31000	Drive type	8 X 4
Payload(kg)	12100	cab seats (man)	3
Curb weight(Kg)	18705	Overall dimension (mm)	11990×2500×3910
Approach/departure angle (°)	28/11	Box internal dimension(mm)	8500×2294×550
Number of axles	4	Front/rear hang(mm)	1460/2780
Axle load(Kg)	6500/6500/18000	Wheelbase(mm)	1950+4500+1300
Max speed(Km/h)	90		

Chassis specifications

Chassis model	DFL1311A3	Brand name	Dongfeng
Manufacturer	Dongfeng Motor Corporation	Tires No.	12
Approach/departure angle (°)	28/12	Tire specification	11.00-20
Steel spring number	8/8/10,3/3/4,9/9/10	Front track(mm)	2040/2040
Fuel type	Diesel	Rear track(mm)	1860/1860
Emission standard	Euro III	Transmission	9 gears
Cabin	D310 flat standard cab, airbag shock absorber driver seat, channel dashboard, with air conditioning		
Engine model	Engine manufacturer	Displacement(ml)	Power(Kw)
C260 33	Dongfeng Cummins Engine Co. ,Ltd	8300	191

Crane specification

Crane model	SQZ350 / SQZ400	Crane brand	XCMG
Type of Crane	Folding crane	Crane weight (kg)	4845 / 6455
Max lifting weight[kg]	14000 / 16000	Max lift height[m]	14 / 15
Working radius(m)	11.4 / 12	Operation method	High Seat Control
Number of arms	5	Outtrigger (pcs)	4

Functions

The truck consists of chassis, box, power take-off and crane, achieving cargo lifting and moving through hydraulic lifting and telescopic system. In general, H-type outtrigger is equipped to realize its stability. To be further strengthened stability of the truck, rear outtrigger also can be equipped if the customer require. The truck can 360 ° continuously rotate.

14000 - 16000 kg DONGFENG KINLAND 8*4 Folding Truck With Crane

Product Image



