

20000L Dongfeng 6x4 fuel tanker truck

Main specifications			
Product model\name	CLW5252GYY3 fuel tanker truck		
Gross weight(Kg)	25000	Driving type	6X4
Payload (Kg)	15000	Overall dimension (mm)	9700×2490×3450
Curb weight(Kg)	9805	Cab seats (man)	3
Approach/departure angle (°)	27/12	Front/rear hang(mm)	1245/2805,1245/2755
Axle No.	3	Wheelbase (mm)	4350+1300
Axle load(Kg)	7000/18000(double-shaft)	Max speed(Km/h)	80
Chassis specifications			
Chassis model	EQ1258KB3GJ	Manufacture	Dongfeng Motor Company
Brand name	Dongfeng	Fuel type	diesel
Tire specification	11.00R20	Tires No.	10+1
Front track(mm)	1940	Rear track(mm)	1860/1860
Emission standard	Euro III	Gear box	9 forward gears, 1 reverse gear
Cab	Flat single bridge ,Tilttable luxurious interior trim, seat. with power steering, with air conditioning		
Engine model	Engine manufacture	Displacement(ml)	Power(Kw)
B210 33	Dongfeng cummins engine co., LTD	5900	155
Performance			
Tank capacity\m³	18000L-25000L (18CBM-25CBM)		
Tank material	Q235 carbon steel		
Transport medium	Petrol or diesel		
Main Characteristic			
A, with multiple baffle plates in the tank, the tank has the advantages of high intensity, stability, transporting safety etc. B, Oil pump is installed to suck or discharge oil, with high suction pressure and speed. C, according to users' needs, the tank can be designed as a single compartment or several compartments to contain different oils. D, according to users' needs, the side or the rear of the tank can be installed 1 to 3 self-flowing valves			

Image below:







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com