

## I. Main specifications

Product model□name	CLW9400GYY fuel tank trailer( Chemical truck)		
Total weight(Kg)	39800	Overall dimension (mm)	12980×2500×3820
Payload (Kg)	28000	Front/rear hang(mm)	-/1860
Curb weight(Kg)	11800	Wheelbase(mm)	7200+1310+1310
Tank volume( m3)	44	Approach/departure angle (°)	-/16
Number of axles	3	Axle load(Kg)	-/23850 (three-axis )
Tank material	Q235B carbon steel	Tank thickness	
Axle	Fuhua13T□Fuhua15T□16T or BPW12T□14T optional□		
Support leg	28T		
Tow point	90#		

## II. Others

Truck equipped with Euro standard tank mouth, anti-slipping ladder, safety walkway, handrail, water box, electrostatic belt, fire extinguisher, toolbox, spare tire rack and so on.

## III. Instructions

Equipped with multiple wave-proof plates, the tank has the characteristics of high strength, excellent stability, safe transportation.. According to the requirements of clients, the tank can be divided into many compartments for different oils□In addition□oil pump□ flow meter,□liquid level indicator□bottom valve □heating pipe□insulation layer and other devices are optional□What's more, 1-3 self-flow mouths or more can be installed on the the back and the side of the tank.It depends on customers' requirements.

## IIII. Applications

For transport oil

# . 45000 Liters Fuel Tanker Trailer

## Product image



## PRODUCT DETAILS

---



### 01

---

Oil Tanker Semi Trailer is a tanker with a trailing head connected to the trailing section. Compared with the conventional single tanker tanker tanker, oil transport can effectively improve the transportation efficiency. In the same tonnage situation, reduce transportation costs, saving fuel consumption.

### 02

---

The tank body is made of 4mm or 6mm high-quality carbon steel according ,The shape of the tank body is divided into oval or square round tanks, which can contain 1-4 kinds of oil products. Can also produce heating and heat preservation series tanks.



### 03

---

A plurality of anti-wave baffles are arranged in the tank body. High pressure gas leak test is adopted to ensure that the tank body has high strength, stable center of gravity and safe and stable vehicle transportation.



## PRODUCT ADVANTAGES

---

1. Heavy duty and extra durability designed; Opting for high tensile steel Q345B, welded by automatic Submerged-Arc processes.
2. Heavy machinery suspension with leaf spring.
3. Two-line brake system with automatic brake system/chamber.
4. Welding tightness is strictly tested for solid tires, which are highly elastic and wear-resistant.
5. The material of the storage tank can be aluminum alloy, carbon steel, stainless steel, etc.



