

Main specifications			
Product model□name	CLW5080ZXXD4 Garbage Truck With Removable Box		
Gross weight(Kg)	8275	Driving type	4×2
Payload (Kg)	4380	Overall dimension (mm)	5830×2100×2440
Curb weight(Kg)	3700	cab seats (man)	3
Approach/departure angle (°)	24/28	Front/rear hang(mm)	1210/820
Axle No.	2	Wheelbase (mm)	3300
Axle load(Kg)	3310/4965	Max speed(Km/h)	99
Chassis specifications			
Chassis model	DFA1080SJ12D3	Manufacture	Dongfeng Automobile Company
Brand name	Dongfeng	Overall dimension (mm)	6815×2080×2440
Tire specification	7.50R16	Tires No.	6+1
Steel spring number	8/10+7,11/9+7	Front track(mm)	1770
Fuel type	Diesel	Rear track(mm)	1586
Emission standard	Euro 4	Gear box	5 forward
Engine model	Engine manufacture		displacement(ml)    Power(Kw)
CY4102-CE4C	Dongfeng chaoyang chaochai power company		3856                      91
Performance			
Body capacity□m³□	5	Body material	Q235 carbon steel
Discharge Method	Rear dump	Operation control system	Manuel + electric
Characteristic			
<div>1□Detachable Container Garbage Truck also called pull arm garbage truck □</div> <div>2□Using full hydraulic control , the operator can do the waste bin lifting, discharging and dumping both in the driving room or out of the room, and all the operations can be performed by one driver in the cab□</div> <div>3□The truck compartment using fully enclosed design,there is no water leakage while transportation, that is avoid the secondary pollution problem, make it more environmental friendly□</div> <div>4□The truck can equipped with several garbage box, one truck can maintain multiple garbage collection point operation, high efficiency□</div>			

### 4x2 DFAC 5CBM Hook Lift Garbage Truck

Product Image:

















Whatsapp & Telephone: +86-18607222773 Email: [brenda@ciclwtruck.com](mailto:brenda@ciclwtruck.com)