

Technical Specification

□Main specifications□

Product model□name	BJ5122V4PBB-A1 Truck With Crane		
Gross vehicle weight(kg)	11665	Drive type	4 X 2
Payload(kg)	4390	cab seats (man)	3
Curb weight(Kg)	7080	Overall dimension (mm)	7295×2490×3500
Approach/departure angle (°)	29/21	Box internal dimension(mm)	4300×2100×520
Number of axles	2	Front/rear hang(mm)	1255/2140
Axle load(Kg)	4100/7565	Wheelbase(mm)	3900
Max speed(Km/h)	80		

□Chassis specifications□

Chassis model	BJ1122V4PBB-A1	Brand name	Foton
Manufacturer	BeiqiFoton Motor Co. , Ltd.	Tires No.	6
Approach/departure angle (°)	29/22	Tire specification	8.25-20
Steel spring number	9/11+8	Front track(mm)	1750
Fuel type	Diesel	Rear track(mm)	1654
Emission standard	Euro III	Transmission	5 forward gear, 1 reverse gear
Cabin	1860mm width cabin, with luxurious interior trim ,seat and sleeper, heater steering. Air conditioning can be equiped according to the customerrequirement.		
Engine model	Engine manufacturer	Displacement(ml)	Power(Kw)
YN33CR-4	Kunming Yunnei Power Co., Ltd	3298	93

□Crane specification□

Crane model	SQS125	Crane brand	XCMG
Type of Crane	Telescopic boom crane	Crane weight (kg)	2480
Max lifting weight□kg□	5000	Max lift height□m□	10.5 / 12.5
Working radius(m)	8.7 / 11	Operation method	High seat control / Side control
Number of arms	3 / 4	Outrigger (pcs)	2 / 4

□Functions□

The truck consists of chassis, box, power take-off and crane, achieving cargo lifting and moving through hydraulic lifting and telescopic system. In general, H-type outrigger is equipped to realize its stability. To be further strengthened stability of the truck, rear outrigger also can be equipped if the customer require. The truck can 360 ° continuously rotate.

4x2 Foton Forland 5000 kgs Lorry Crane Hydraulic Boom Crane Truck

Food truck suppliers China

Product Image:





