<b>□Main specifications□</b>				
Product model[]name	SCS5160JSQE Truck With	n Crane		
Gross vehicle weight(kg)	16000	Drive type		4 x 4
Payload(kg)	6095	cab seats (man)		3
Curb weight(Kg)	9710	Overall dimension (n	nm)	8950×2500×3860
Approach/departure angle (°)	25/23	Box internal dimension(mm)		5700×2300×600
Number of axles	2	Front/rear hang(mm)	)	1250/3000
Axle load(Kg)	6000/10000	Wheelbase(mm)		4700
Max speed(Km/h)	88			
Chassis specifications				
Chassis model	DFL1160BX1	Brand name	D	ongfeng
Manufacturer	Dongfeng Automobile Co,.Lto	d Tires No.	6	
Approach/departure angle (°)	25/28	Tire specification	1	0.00R20
Steel spring number	9/11+8	Front track(mm)	1	940
Fuel type	Diesel	Rear track(mm)	1	860
Emission standard	Euro IV	Transmission	8	forward gear, 1 reverse gear
Engine model	Engine manufacturer	Displacement(ml)	Р	ower(Kw)
ISB190 40	Dongfeng engine co, Lto			40
□Crane specification□				
Crane model	SQS157	Crane brand	XCMG	
Type of Crane	Telescopic boom	Crane weight (kg)	2570	
Max lifting weight[]kg[]	6300	Max lift height[]m[]	11/12	.8
Working radius(m)	9/11	Operation method	High sea	t operation / floor operation
Number of arms	3/4	Outrigger (pcs)	2/4	
[]Functions[]				
The truck consists of chassis, box, power take off and crane, achieving cargo lifting and moving through				

The truck consists of chassis, box, power take-off and crane, achieving cargo lifting and moving through hydraulic lifting and telescopic system. In general, H-type outrigger is equipped to realize its stability. To be further strengthened stability of the truck, rear outrigger also can be equipped if the customer require. The truck can 360 ° continuously rotate.

## 4x4 Truck Supplier China, 6300kgs Dongfeng Truck Crane Manufacturer China Product Image:











