

I. Main specifications

Product model□name	CLW9403GYY fuel tank trailer(Chemical truck)		
Total weight(Kg)	40000	Overall dimension (mm)	12990×2500×3900
Payload (Kg)	32830	Front/rear hang(mm)	-/1870
Curb weight(Kg)	7170	Wheelbase(mm)	7200+1310+1310
Tank volume(m3)	55	Approach/departure angle (°)	-/16
Number of axles	3	Axle load(Kg)	-/24000 (three-axis)
Tank material	Q235B carbon steel	Tank thickness	
Axle	Fuhua13T□Fuhua15T□16T or BPW12T□14T optional□		
Support leg	28T		
Tow point	90#		

II. Others

Truck equipped with Euro standard tank mouth, anti-slipping ladder, safety walkway, handrail, water box, electrostatic belt, fire extinguisher, toolbox, spare tire rack and so on.

III. Instructions

Equipped with multiple wave-proof plates, the tank has the characteristics of high strength, excellent stability, safe transportation.. According to the requirements of clients, the tank can be divided into many compartments for different oils□In addition□oil pump□ flow meter,□liquid level indicator□bottom valve □heating pipe□insulation layer and other devices are optional□What's more, 1-3 self-flow mouths or more can be installed on the the back and the side of the tank.It depends on customers' requirements.

IIII. Applications

For transport oil

55 CBM Oil Tanker Trailer China Supplier

Product Image:







