

Sewer Fecal Suction Truck, also called Sewer Flushing and Cleaning Truck, High Pressure Jetting Truck, High Pressure Jetting and Flushing Truck, High Pressure Flusher Truck, High Pressure Water Jetting Truck.

High-pressure water jetting is an efficient, economical, and environmentally safe way to clean drain and sewer pipes. Using high pressure pump and flexible hoses, ordinary water is propelled under varying amounts of pressure into the sewer line. Grease, sludge, sand and debris are the main causes of commercial drain line blockages. Our high-pressure water jetting and flushing truck can help you clear this sediment.

Common septic pumper truck vacuum pump brands include Chinese brands Yifeng and Weilong, other brands Battioni & Pagani vacuum pumps, Masport vacuum pumps, Moro vacuum pumps, Jurop vacuum pumps, etc.

For sewage tank volume, we can make it from 3000L to 30,000L

Technical Specification

Main specifications			
Product model□name	ALA5110GXWE3	Sewage suction truck	
Gross weight(Kg)	11495	Driving type	4*2
Payload (Kg)	5300	Overall dimension (mm)	7200×2480×3150
Curb weight(Kg)	6000	Cab seats (man)	3
Approach/departure angle (°)	3	Front/rear hang(mm)	1250/2000
Axle No.	33/12	Wheelbase (mm)	3950
Axle load(Kg)	2	Max speed(Km/h)	90
Chassis specifications			
Chassis model	EQ1110GLJ	Manufacture	Dongfeng Automobile Co.,Ltd
Brand name	Dongfeng brand	Overall dimension (mm)	7120×2462×2710
Tire specification	7120×2462×2710	Tires No.	6
Steel spring number	33/22	Front track(mm)	9.00-20
Fuel type	Diesel	Rear track(mm)	1900,1810
Emission standard	Euro III	Gear box	6
Cab	Single row, luxurious interior and seat, with power steering, optional air conditioning		
Engine model	Engine manufacture	Displacement(ml)	Power(Kw)
B170 33	Dongfeng Chaoyang Chaochai Power Co.,Ltd	5900	125
Tank body			
Tank capacity□m³□	8	Tank material	Q235 carbon steel
Main Characteristic			

The truck is equipped with high-powered vacuum suction pump and high quality hydraulic system. With rear lid of the tank opened hydraulically, and double cylinders on both sides of the tank lifting up, the truck can dump the sewage directly through the rear lid out of the tank. Characterized by high vacuum, large capacity, high efficiency and good seal, the truck is widely used. Full tank pumping time: $\leq 5\text{min}$; suction width: $\geq 8\text{m}$. Very suitable for sucking sewer sediments, such as mud, silt, stones, bricks and other big objects.

8000 Liters 2100 Gal DONGFENG Sewer Tanker Truck

Product Image:











Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com