Item		Unit	Specification	
Product name			CSC5050JGK3 Aerial Platform Vehicle	
Chassis model			EQ1050NJ20D3	
Steering type			Right-hand drive / Left-hand drive	
Cab seat			2+3	
Cabin			Single cab, luxurious interior trim and seat. with power steering, air conditioning can be equiped if customer requires.	
Т	otal weight	kg	5375	
	urb weight		5050	
	verall dimension	—mm	7350×1980×3100	
w	heelbase		3300	
Aı	oproach/departure angle	o	19/15	
Engine mode			CY4102-C3F	
Engine manufacturer			Dongfeng Chaoyang Diesel Co.,Ltd	
Transmission			5 forward gears, 1 reverse gear	
Emission standard			Euro III	
Displacement / Power		ml/kw	3856 / 70	
Tire specification / Number		pcs	7.00R16 / 6+1 (spare tyre)	
Max speed		km/h	95	
Max working height		m	12 - 16	
Rated platform load		kg	200	
Rated manned platform		man	2	
Slewing angle[Left[Right[]		٥	360	
Outrigger type / Q'ty		pcs	H-type, 4 pcs	
Remark			The whole truck is operated through upper and lower hydraulic operation, equipped with hook.	

China Dongfeng 12-16 Meters High-altitude Operation Truck

Product Image:











