

## I.Main specifications

|                              |                             |                            |                |
|------------------------------|-----------------------------|----------------------------|----------------|
| Product model□name           | CLQ5161JSQ4Truck With Crane |                            |                |
| Total weight(Kg)             | 16000                       | Driving type               | 4 x 2          |
| Payload (Kg)                 | 7900                        | Overall dimension (mm)     | 9000×2480×3300 |
| Curb weight(Kg)              | 7905                        | Box internal dimension(mm) |                |
| cab seats (man)              | 3                           | Front/rear hang(mm)        | 1205/2795      |
| Approach/departure angle (°) | 32/20                       | Wheelbase(mm)              | 5150           |
| Number of axles              | 2                           | Max speed(Km/h)            | 80             |
| Axle load(Kg)                | 6000/10000                  |                            |                |

## II.Crane specification

|                        |         |                    |     |
|------------------------|---------|--------------------|-----|
| Crane model            | SQ5SK2Q | Crane brand        | CLW |
| Max lifting weight□kg□ | 5000kg  | Max lift height□m□ | 10  |
| Working radius(m)      | 8       | Outrigger (pcs)    | 2   |

## III.Chassis specifications

|                              |                                  |                    |                             |
|------------------------------|----------------------------------|--------------------|-----------------------------|
| Chassis model                | EQ1160ZZ4GJ1                     | Chassis category   | the truck classis (class 2) |
| Brand name                   | Dongfeng                         | Manufacture        | Dongfeng Motor company      |
| Overall dimension(mm)        | 8705×2460×2610                   | Tires No.          | 6                           |
| Approach/departure angle (°) | 28/21                            | Tire specification | 10.00-20,10.00R20           |
| Steel spring number          | 9/11+8                           | Front track(mm)    | 1940                        |
| Type of fuel                 | Diesel                           | Rear track(mm)     | 1860                        |
| Emission standard            | GB3847-2005,GB17691-2005 Euro IV |                    |                             |
| Engine model                 | Engine manufacture               | Displacement(ml)   | Power(Kw)                   |
| ISDe185 40                   | Dongfeng cummins engine co., LTD | 6700               | 136                         |

## IV.Functions

Special used for cargo lifting and transportation at stations□warehouse□docks□construction sites and filed resuce.

## Product Image:



Whatsapp & Telephone: +86-18607222773 Email: [brenda@clclwtruck.com](mailto:brenda@clclwtruck.com)





Whatsapp & Telephone: +86 18607222773 Email: [brenda@clclwtruck.com](mailto:brenda@clclwtruck.com)



