

Garbage trucks are widely used in sanitation, municipal, factory and mining enterprises, and residential areas where have a lot of garbage. Garbage trucks are classified into compressed garbage trucks, swing arm type, dump type, sealed type, docking type, hook type arm type, and pull arm type garbage truck. Garbage trucks can carry multiple compartments in one vehicle, which can effectively prevent secondary pollution during the loading and unloading process. The modified part is separable from the original car chassis, which is easy to maintain and maintain the mobility and driving performance of the original car. Customers who have special requirements for garbage trucks please contact with us at any time. We can produce the trucks according to your requirements.

### Technical Specification:

#### Main specifications

Product model□name	CSC5090ZYS3 Compression Garbage Truck		
Gross weight(Kg)	9400	Driving type	4*2
Payload (Kg)	2500	Overall dimension (mm)	7150*2285*2950
Curb weight(Kg)	6705	Cab seats (man)	3
Approach/departure angle (°)	20/10	Front/rear hang(mm)	1180/2170
Axle No.	2	Wheelbase (mm)	3800
Axle load(Kg)	3290/6110	Max speed(Km/h)	95

#### Chassis specifications

Chassis model	EQ1090T9ADJ3AC	Manufacture	Dongfeng automobile company	
Brand name	Dongfeng	Overall dimension (mm)	6695*2285*2350	
Tire specification	7.50R16	Tires No.	6+1	
Steel spring number	11/9+7	Front track(mm)	1831	
Fuel type	Diesel	Rear track(mm)	1640	
Emission standard	Euro III	Gear box	5 forward	
Cab	Flat single cab, luxurious interiors and seats, air conditioning is optional			
Engine model	Engine manufacture		Displacement(ml)	Power(Kw)
CY4102-E3C	Dongfeng chaoyang chaochai power co.,ltd		3856	91

#### Performance

Body capacity□m <sup>3</sup>	8	Hopper capacity□m <sup>3</sup>	1
Compression cycle time□S	30	Unload garbage time□S	40
Control system	Manual + Automatic		

#### Main Characteristic

- 1□Can choose 240L□single bin□double bins□or 360L□660L□1100L standard bin lifting and turnover mechanism□can also choose ground hopper and other kinds of loading mechanism.
- 2□With manual and automatic two sets of control method, the operator can control in the cabin, in the middle side or the back of the truck , very convenient and efficient.
- 3□With working device of emergency braking stop button□
- 4□Garbage body use frame design, elegant, strong structure, large effective capacity.
- 5□Equipped with special collection box, sewage directly into the sewage tank in the process of compression, that is effectively prevent second pollution caused by sewage leaks.
- 6□Through hydraulic system design, the truck achieve the function of two-way garbage compression, that is improve the compressibility ,make the compression ratio up to 1:2.5,the garbage can reach more then 600□800kg□m<sup>3</sup> after compression.

# DFAC 4X2 8CBM Compression Garbage Truck

Product Image:





Whatsapp & Telephone: +86-18607222773 Email: [brenda@clclwtruck.com](mailto:brenda@clclwtruck.com)



Whatsapp & Telephone: +86-18607222773 Email: [brenda@clclwtruck.com](mailto:brenda@clclwtruck.com)



Whatsapp & Telephone: +86-18607222773 Email: [brenda@ciclwtruck.com](mailto:brenda@ciclwtruck.com)



Whatsapp & Telephone: +86-18607222773 Email: [brenda@clclwtruck.com](mailto:brenda@clclwtruck.com)



Whatsapp & Telephone: +86-18607222773 Email: [brenda@clclwtruck.com](mailto:brenda@clclwtruck.com)



Whatsapp & Telephone: +86-18607222773 Email: [brenda@clcwtruck.com](mailto:brenda@clcwtruck.com)