

DFAC Duolika 3300 compressed garbage truck

Vehicle Parameter			
Model/name	Dfac duolika 3300 Compressed garbage truck		
Gross weight (Kg)	7300	Driving type	4*2
Payload weight (Kg)	1870,1805	Overall dimension(mm)	6850×2050×2600
Curb weight(Kg)	5300	Cab seats	2,3
Approach/departure angle(°)	19/15	Front/rear hang(mm)	1032/2018
Axle No.	2	Wheelbase(mm)	3300
Axle load(Kg)	2920/4380	Max speed(Km/h)	95
Chassis specification			
Chassis models	EQ1060TJ20D3	Chassis name	Truck chassis (second)
Brand name	dongfeng	Manufacturer	Dongfeng corporation
External dimension (mm)	5845×1900×2220	Tyre No.	6
Approach/departure angle(°)	19/16	Tyre specification	7.00R16
steel spring no.	8/9+5	Front hang(mm)	1506
Fuel type	diesel	rear hang(mm)	1466
Emission standards	EuroIII	transmission	5file
cab	Single row cab, cab can be turned forward, with power steering, air conditioning optional□		
Engine model	Engine manufacturer	Displacement (ml)	Power (Kw)
CY4102-C3F	Dongfeng chaoyang diesel engine co. LTD	3856	70
performance			
Cabinet volume□m³□	5	Loader volume□m³□	0.8
Compression cycle time□S□	30	Garbage time□S□	40
Control mode	automatic + manual.		
Feature			
1□1. It can be equipped with 240L (single barrel, double barrel) or 360L, 660L, 1100L standard bucket lifting tilting mechanism, or with floor-type feeding mechanism.			
2□2. It has two sets of manual and automatic control modes, which are integrated with multiple control modes. It can be operated in the driving room, the middle side of the car body and the rear, which is convenient and efficient.			
3□3. Emergency stop button with working device.			
4□4. The garbage box adopts the frame design, which is beautiful and graceful, with strong structural performance and large effective volume.			
5□5. A special sewage collection box is provided, and sewage in the compression process enters the sewage tank directly to effectively prevent secondary pollution caused by sewage leakage.			
6□6. The compressed garbage truck realizes the two-way garbage compression function through the hydraulic system design, which improves the compression rate and the compression ratio can reach above 1:2.5, and the domestic garbage can reach above 600 ~ 800kg/m3 after being compressed.			



Whatsapp & Telephone: +86-18607222773 Email: brenda@clwtruck.com







Whatsapp & Telephone: +86-18607222773 Email: brenda@ciclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@cclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com

● FACTORY SHOW ●



● BUSINESS PARTNER ●



