Technical Specification

Main specification								
Product model and name EQ		EQ1128GL	Q1128GLJ1 Dongfeng Flat Wrecker truck					
Gross weight(Kg) 12		12490	D:	rive type	ve type		4X2	
Curb weight(Kg) 84		8495		verall mension(mm)			9000×2480×3500	
Approach/departure angle(°) 30		30/15	C	b seats		3		
Axle No. 2		2	Fı	nt/rear hang(mm)		1250/3050		
Axle load(Kg) 4		4990/7500	W	heelbase(mm)	eelbase(mm)		5100	
Max speed(Km/h)		95						
Chassis specification	n							
Chassis model	EQ1128G	GLJ1	Manu	facturer	Dongfeng Motor Co., Ltd			
Brand name	Dongfeng		Dime	Dimension(mm)		8900X2462X3120		
Tyre specification	9.00-20 16PR		Tyre No.		6			
Steel spring number	9/11+8		Front track base(mm)		1940			
Fuel type	Diesel		Rear track base(mm)		1860			
Emission standard	Euro 4		Transmission		8 forward gear, 1reverse gear			
Cab	Luxurious interior trim with dashboard and air condition.							
Engine model	Engine manufacturer			Displacement	Displacement(ml)		Power(Kw)	
ISB190 40	Dongfeng Co.,Ltd	g Cummins E	Engine	5900	5900		140(190HP)	
Performance								
Flat length(mm)		6800		Flat width(mr	Flat width(mm)		2300	
Max flatbed carrying capacity (Ton)		5 to 6			Max lift weight(Ton)		3 to 5	
Crane model		SQ5S		Crane lifting weight(Ton)			5	
Vehicle accessories								
Training wheels, Stee	el wire rope	e,bandage,A	larm la	mp, Tyre Covers,	Jack,	spare ty	yre ,drivers' tools	

Dongfeng 4X2 5ton tow truck with crane

Tow Truck with Crane Image











