

Main specifications

Product model□name	CLW5090TSL3 Road Sweeper Truck		
Gross weight(Kg)	9400	Drive type	4 X 2
Payload (Kg)	3500	Overall dimension (mm)	6700×2290×2500
Curb weight(Kg)	5705	cab seats (man)	3
Approach / departure angle(°)	22/12	Front/rear hang(mm)	1180/1720
Number of axles	2	Wheelbase(mm)	3800
Axle load	3460/5940	Max speed(Km/h)	90

Chassis specifications

Chassis model	EQ1090T9ADJ3AC	Manufacturer	DongFeng Motors Co., Ltd.
Brand name	DongFeng	Overall dimension(mm)	6695×2285×2480
Tire specification	7.50R16	Tires No.	6
Steel spring number	11/9+7,8/10+7	Front track(mm)	1831
Fuel type	Diesel	Rear track(mm)	1640
Emission standard	Euro III	Transmission	5 forward gear,1 reverse gear
Cabin	Car interiors, with the direction of power and USB interface, cassette player, with air conditioning,		
Engine model	Engine manufacture	Displacement(ml)	Power(Kw)
CY4102-E3C	DongFeng Chaoyang Diesel Co.,Ltd	3856	91

Road Sweeper Performance

Trash tank volume (m³)	5	Water tank volume (m³)	2.5
Material of trash tank	Stainless steel	Material of water tank	Stainless steel
Model of auxiliary engine	JX493G	Power of auxiliary engine(Kw)	57KW
Manufacturers of auxiliary engine	JiangXi ISUZU Engine Co., Ltd.	Max sweeping width(mm)	3200
Sweeping speed (km / h)	3-20	Sweeping capacity □□/h□	9000- 60000
Maximum Grain size and quality (mm)	100mm\±1.5kg	Cleaning Rate	96%

Road Sweeper Features

- 1.The control box is in the cab, all kinds of system electrical centralized to control, and easy to operate!
- 2, Four scan disk combined with suction nozzle in working. according to a different cleaning conditions Scan disk speed can be controlled by choosing three gear-High, medium and low, which can make sure there be have a good cleaning results in a variety of pollution status. and when met the obstacle, the scan disk can be have a automatic avoidance protections and features automatic reset function, and retracted automaticly, then reseted automaticly after over some obstacles!
- 3.Both of side of the scan disk can be working altogether, or unilateral work independently.
- 4.The core components of hydraulic systems adopts the original import!

DFAC ROAD SWEEPER TRUCK

Image as below:










Whatsapp & Telephone: +86-18607222773 Email: brenda@clewtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com