

Products Technical Specification	
Type	Pesticide sprayer Truck
Brand	<u>Dongfeng 6*4</u>
Cab	With A/C, on bed
Overall dimensions (mm)	1200×2500×3900
Curb weight(vehicle) (kg)	12920
Loading capacity (kg)	13000
Max speed (Km/h)	95
Mode	B210-33
Type	Diesel, 6-cylinder in line with water cooling, turbo-charging
Max. power/rotated speed	155(KW) /2500(rpm)
Displacement(ML)	5900
Company of engine	<u>Dongfeng</u>
Wheel base	4300+1350
Operation control system	Power Steering
Electric system	24V
<u>Tyres</u>	10.00-20
Capacity of tank body	15,000Litres
Material of tank body	Carbon steel
	install water pump
	Side outlet and inlet, can fill water into tank body by water pump
	With rear water spraying monitor.
	<u>Multifunction pesticide sprayer truck</u> With one manhole on the top of tank body.
valid distance	80-90 meters, no wind condition.
Operation mode	Manual and remote control
Fan motor quantity	1
Rotation(r/min)	1440
Power	45KW
Reducer quantity	1
Reducer power	0.55kw
Sprinkler nozzle material	stainless steel
<u>Spraying nozzle quality</u>	90
<u>Highr presure pump power</u>	7.5Kw
Generator	120KW
Painting: three layer painting, <u>anit-rust</u> , bottom painting. Outside painting.	
Customized color and logo.	









Whatsapp & Telephone: +86-18607222773 Email: [brenda@ciclwtruck.com](mailto:brenda@ciclwtruck.com)