Technical Specification:

Product model∏name									
Product model name		ALA5250ZYSDFL3 Compression Garbage Truck							
ross weight(Kg)		25000		Driving type		6	6*4		
Payload (Kg)		10500			Overall dimension (mm)		10000*2490*3400		
Curb weight(Kg)		14370			Cab seats (man)		3		
Approach/departure angle (°)		20/11			Front/rear hang(mm)		1460/2890		
Axle No.		3			Wheelbase (mm)		4350+1350		
Axle load(Kg)		7000/18000 (double axle)			Max speed(Km/h)		90		
Chassis specifications									
Chassis model	DFL1250A8	DFL1250A8		Manufacture		Dongfeng motor company			
Brand name	Dongfeng	Dongfeng		Overall dimension (mm)		9460*2480*3030			
Tire specification	11.00-20	11.00-20		Tires No.		10+1			
Steel spring number	8/9,8/10	8/9,8/10		Front track(mm)		1986			
Fuel type	Diesel	Diesel		Rear track(mm)		1860			
Emission standard	Euro III	Euro III		Gear box		Shanchi 9JS119T-B 9 gearbox			
Cab	D310 flat stan	D310 flat standard cab, airbag shock absorber driver seat, channel dashboard, with air conditioning							
Engine model	Engine manuf	Engine manufacture						ml Power(Kw)	
C260 33	Donafena cun	Dongfeng cummins engine co.,ltd					8300	191	
Performance									
Body capacity⊡m³□ 20		20	Hopper cap		opper capaci	city[m³] 2		2.4	
iompression cycle time[S[] 30		30	0		Unload garbage time[]S[]		40		
iontrol system Manual + A		Manual + Au	Automatic						
Main Characteristic									

Dongfeng Kinland $6x4\ 20CBM$ Compression Garbage Truck Product Image:

















