### Technical specification

Main specification										
Product model and name		JDF5081TQZC4 Wrecker truck								
Gross weight(Kg)		7900		Drive type		4X2				
Curb weight(Kg)		1.6005		Overall dimension(mm)		8120×2350×2750				
Approach/departure angle(°)		20/12		Cab seats		3				
Axle No.		2		Front/rear hang(mm)		1400/2470				
Axle load(Kg)		2840/5060		Wheelbase(mm)		4400				
Max speed(Km/h)		95								
Chassis specification										
Chassis model	CA108	83P62K1L2E4	Manu	factu	ırer	China FAW Group Com		AW Group Company		
Brand name	FAW		Dimension(mm)		7810×2350×2640					
Tyre specification	8.25-16		Tyre No.		6					
Steel spring number	7/7+6		Front track base(mm)		1800					
Fuel type	Diesel		Rear track base(mm)		1740					
Emission standard	Euro 4		Transmission		6 forwarder gear,1 reverse gear(manual)					
Cab	J6 medium cab, luxurious interior trim with seats. Sleeper and power steering with air condition.									
Engine model	Engine manufacturer				Displacement(ml) Po		Po	wer(Kw)		
BF4M2012-14E4	China FAW Group Company				4040 10		10	6(145HP)		
Performance										
Flat length(mm) 6		6100		Flat width(mm)			2480			
Max pulling weight(Kg)		4000		Ma	Max lift weight(Kg)			3000		
Vehicle accessories										
Training wheels, Steel wire rope, Bandage, Alarm lamp, Tyre covers, Jack, Spare tyre, Drivers' tools										
Wrecker Truck Instruction										

### FAW 4X2 3 to 8TON Tow Truck

The full name of wrecker truck is named road wrecker truck, also called trailer and road rescue truck. It

has the powerful function and can carry two cars at the same time. It is the ideal choice for road management department and automobile repair plat to proceed to the road repair and rescue.

### Tow Truck Image














# **BATCH DELIVERY**



















### CORE TECHNOLOGY EXQUISITE BUILD

## **SAFETY. HIGH EFFICIENCY**

Attention to detail, excellence is the boutique





Design and manufacture according to customer's requirement





WRECKER TRUCK SPECIALITY