

Main specifications			
Product model/name	FAW 6X2 8/10 ton Truck With Crane		
Gross vehicle weight(kg)	21600	Drive type	6X2
Payload(kg)	9765,9415	cab seats (man)	3
Curb weight(Kg)	11640,11990	Overall dimension (mm)	12000×2495×3750
Approach/departure angle (°)	22/11	Box internal dimension(mm)	8200×2300×600
Number of axles	3	Front/rear hang(mm)	1400/3300
Axle load(Kg)	5800/5800/10000	Wheelbase(mm)	2200+5100
Max speed(Km/h)	98		
Chassis specifications			
Chassis model	CA5220JSQP62K1L7T3E4	Brand name	Foton
Manufacturer	China FAW Group Corp.	Tires No.	8
Approach/departure angle (°)	22/11	Tire specification	10.00R20
Steel spring number	10/10/13+7	Front track(mm)	1914/1914
Fuel type	Diesel	Rear track(mm)	1860
Emission standard	Euro IV	Transmission	8forward gears, 1reverse gear
Cabin	J6 cab, with sleeper and air conditioning.		
Engine model	Engine manufacturer	Displacement(ml)	Power(Kw)
BF6M2012-22E4	China FAW Group Corp.	6060	165
Crane specification			
Crane model	SQS200 / SQS250	Crane brand	XCMG
Type of Crane	Telescopic boom crane	Crane weight(kgs)	3800 / 4800
Max lifting weight/kg	8000 / 10000	Max lift height/m	13.5 / 14
Working radius(m)	11.5 / 12	Operation method	High seat control / Side control
Number of arms	4	Outrigger (pcs)	2 / 4
Functions			
The truck consists of chassis, box, power take-off and crane, achieving cargo lifting and moving through hydraulic lifting and telescopic system. In general, H-type outrigger is equipped to realize its stability. To be further strengthened stability of the truck, rear outrigger also can be equipped if the customer require. The truck can 360 ° continuously rotate.			

FAW Truck Mounted Crane Supplier, 8000-10000 kgs Truck Crane, Truck Mounted Crane manufacturer china

Product Image:







Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com



Whatsapp & Telephone: +86-18607222773 Email: brenda@clclwtruck.com

Kindly note we can provide straight boom crane and folding crane according to

customers' requirement. And the crane also can be equipped on flatbed truck for transport construction machinery like excavator, wheel loader, harvest ect undisassemble machines.



