Main Technical Parameters**			
Production name	FOTON Ice Cream Truck	GVW(kg)	2550
Rated weight(Kg)	860	Overall dimensions(mm)	4730×1780×2630
Curb weight(kg)	1560	Cabinet size(mm)	2900*1720*1810
Approach / departure angle(°)	39/20	F/R overhang(mm)	605/1055
Number of axles	2	Wheel base(mm)	3070
Axle-load(Kg)	700/1850	Max speed(Km/h)	115
Transmission	5 forward gears and 1reverse	cab	Single row, left steering wheel
Chassis Technical Parameters []			
Chassis model	BJ1036V5JV5-D1	Number of tire	4
Brand	FOTON	Engine manufacturer	Foton motor co., LTD
F/R track base(mm)	1338/1375	Tire specification	175R14LT 8PR
Fuel Type	gasoline	Emission standard	Euro V
Engine model	LJ469Q-1AE9	Exhaust(ml)/ power(Kw)	1249/64

FOTON food truck suppliers china,ice cream food truck , coffee food truck

1.Image Down as Equipment show :







2. Mobile food truck - colored and multifunction truck :









3. FOTON food truck suppliers china, ice cream food truck , coffee food truck - Application :

- \cdot Selling snacks, fast food and fast food cart as you create can sell
- \cdot Kitchen cart that you can cook for yourself
- \cdot Which you can sell store cards and phone
- \cdot Aid post which you can help everyone
- \cdot Book store which newspaper, magazine, etc. can sell
- \cdot Housing is a trip when you car or jeep
- \cdot The key to your client repare shop

4. FOTON food truck suppliers china, ice cream food truck , coffee food truck --- Standard configuration:

The food truck external surface body is fiberglass steel ,intermediate interlayer for heat insulation and fire insulation layer , and internal surface is stainless steel ,the total thickness is 55mm-60mm ; and the floor made of skidproof , waterproof and wear-resistant aluminum checkered plate; The top of the compartments is closed and can not open, but the left and right side and the back can be expanded and there is vending bar on both left and right side. The internal compartments is installed with LED vending floodlights or two columns spotlight (5pcs / column), top exhaust fan,megaphone, master switch, USB interface, large space locker; The outside of the compartments is installed two loudspeakers, 220V external power supply interface , 15m external power supply cord, telescopic truck pedal clean water tank, sewage tank, electric cabinet, power master switch, Toolbox ,cabinet ,different truck color and skin stickers are optional .

