## Foton G7 1ton small refrigerator freezer truck Parameters

Main specification						
Product model and name			BJ5039XLC-C5 Refrigerator truck			
Gross weight(Kg)		3150	Drive typ		4x2	
Payload(Kg)		875	Overall o	limension(mm)	5320x1695x2500	
Curb weight(Kg)		2145	Cab seat	ts	2	
Approach/departure angle(°)		15/16.5	Front/rea	ar hang(mm)	1190/1080	
Axle No.		2	Wheelba		3050	
Axle load(Kg)		1445/1705	Max spec	ed(Km/h)	120	
Chassis specification						
Chassis model	BJ6539B1PV	A-C5	Manufacturer		Beiqi Foton Auto Co.,Ltd	
Brand name	Foton	·	Dimension(mm)			
Tyre specification	195R15C	<u> </u>	Tyre No.		4	
Steel spring number	-/4		Front track base	e(mm)	1470	
Fuel type	Gasoline			(mm)	1465	
Emission standard Cab		Euro V T: OBD.ABS controller model: ESP9EV5000.			5 forward gear,1 reverse gear	
	Max. net pov	er manufacturer: BOSCH auto parts (Suz rer : 90kw. ap can be cancelled.	rhou) Co., Ltd.,			
Engine model	Engine manu	facturer	er		Power(Kw)	
4O20M	Beigi Foton Auto Co.,Ltd		1998		95 (130hp)	
Performance	•					
		2580*1380*1450	50 Load ca		1	
Lowest refrigeration temperature(°C) $-5 \sim -18$ (°C)		-5 ~ -18 degrees centigrade	-18 degrees centigrade			
Feature and Application						
The refrigerator truck is the closed var transport the frozen food, dairy produc chosen and installed.	truck that is used to transport t ts, vegetable and fruit and vacci	he frozen or fresh goods. This truck is ma ne medicine etc. For the special requirem	ade up of vehicle chassis, I nents of trucks, such as the	Polyurethane insulation van, is meat transportation, the mea	refrigeration unit and temperature recorder. It is commonly used to at hook, aluminum alloy guide rail and ventilation slots etc. parts can be	

## Foton G7 1ton small refrigerator freezer truck

















