Main Technical Para	ameters**		
Production name	FOTON Ice Cream Truck	GVW(kg)	2550
Rated weight(Kg)	860	Overall dimensions(mm)	4730×1780×2630
Curb weight(kg)	1560	Cabinet size(mm)	2900* 1720* 1810
Approach / departure angle(°)	39/20	F/R overhang(mm)	605/1055
Number of axles	2	Wheel base(mm)	3070
Axle-load(Kg)	700/1850	Max speed(Km/h)	115
Transmission	5 forward gears and 1reverse	cab	Single row, the left steering wheel
Chassis Technical P	arameters []		
Chassis model	BJ1036V5JV5-D1	Number of tire	4
Brand	FOTON	Engine manufacturer	Foton motor co., LTD
F/R track base(mm)	1338/1375	Tire specification	175R14LT 8PR
Fuel Type	gasoline	Emission standard	Euro V
Engine model	LJ469Q-1AE9	Exhaust(ml)/ power(Kw)	1249/64
material and the floo top of the compartm expanded and there with LED vending floo master switch, USB loudspeakers, 105A	or made of skidproof , wat ents is closed and can not is vending bar on both lef oodlights or two columns interface, large space loc	erproof and wear-res t open, but the left an ft and right side. The spotlight (3pcs / colu ker; The outside of th wer supply interface	ents is made of cold-rolled steel sheet istant aluminum checkered plate; The d right side and the back can be internal compartments is installed mn), top exhaust fan, megaphone, ne compartments is installed two , 10m external power supply cord, ptional .
	er faucet and sink ) ; 10kv		water tank, sewage tank,water pump) m machines ; Topping LED disply

Foton mobile food truck / ice cream truck

1. Image Down as Equipment show :















