Isuzu 700P 5T one-driven-two tow truck supplier

Main specification

Product name Isuzu: 700P Wrecker truck

Gross weight(Kg): 6900

Drive type: 4x2

Curb weight(Kg):5505

Overall dimension(mm): 7400x2300x2410

Approach/departure angle(°):21/10 Cab seats: 2 Axle No.: 2 Front/rear hang(mm): 1110/2475 Axle load(Kg):2350/4550 Wheelbase(mm): 3815

Max speed(Km/h): 95

Chassis specification

Chassis model: QL10909KARY

Manufacturer: QingLing Motors (Group) Co., Ltd.

Brand name: Isuzu Fuel type: Diesel Tyre specification: 8.25-16 Tyre No.: 6

Front track base(mm):1680 Rear track base(mm):1650 Emission standard: Euro IV

Transmission: Isuzu MLD 6 gears

Cab :Single row, with warm and cold air conditioning, with the direction

of power, with USB interface and radio

Engine model: 4HK1-TCG40

Engine manufacturer : Isuzu Engine Co. Ltd. (Chongqing)

Displacement(ml): 5193ml

Power(Kw): 139 Horsepower(Hp): 190

Flat length(mm): 5600 Flat width(mm): 2300

Max pulling weight(Kg): 4000 Max lift weight(Kg): 2000

Product pictures as below:













