## **Truck With Crane**

☐Main specifications ☐				
Product model name	Truck mounted crane			
Gross vehicle weight(kg)	18000 Drive ty		е	4×2
Curb weight(Kg)	7200 Overa		mension (mm)	10500×2550×3650
Number of axles	2 Box		nal dimension(mm)	7200×2450×550
Axle load(Kg)	6500/11500 Wheelbas		e(mm)	5550
Max speed(Km/h)	105			
□Chassis specifications□				
Chassis model	QL1180JQFRY		Brand name	ISUZU
Manufacturer	Chengli Special Purpose Vehicle Co., Ltd.		Fuel type	diesel fuel
Tires No.	6		Tire specification	295/80R22.5 18PR
Front track(mm)	1960 R		Rear track(mm)	1855
Emission standard	VI		Transmission	6J
Engine Power(kw)	250			
□Crane specification□				
Crane model	SQS200-4	Crane brand		CLW
Type of Crane	Straight arm crane	Crane weight (kg)		3800
Max lifting weight[]kg[]	8000	Max lift height[]m[]		17
Working radius(m)	15	Operation method		Operation
Number of arms	4	Outrigger (pcs)		4
□Functions				-

The truck consists of chassis, box, power take-off and crane, achieving cargo lifting and moving through hydraulic lifting and telescopic system. In general, H-type outrigger is equipped to realize its stability. To be further strengthened stability of the truck, rear outrigger also can be equipped if the customer require. The truck can 360 ° continuously rotate.



















