Main specification								
Product model and name		HFC1081P91K2C5 tow truck						
Gross weight(Kg)		8280		Drive type			4X2	
Curb weight(Kg)		4850	_	Overall dimension(mm)			7370X2300X2300	
Approach/departure angle(°)		24/10		Cab seats			3	
Axle No.		2 F		Front/rear hang(mm)		n)	1085/2470	
Axle load(Kg)		2980/5300 V		Wheelbase(mm)			3815	
Max speed(Km/h)		95						
Chassis specification	n							
Chassis model	HFC1081P91K2C5		Manufacturer			Anhui JAC Motor Co.,Ltd		
Brand name	JAC	Dimens		nsion(mm)	sion(mm) 681		10X1995X2216	
Tyre specification	7.50R16	4PR Tyre No		No.	o. 6			
Steel spring number	9/12		Front track base(mm)			1665		
Fuel type	Diesel		Rear track base(mm)		nm)	1525		
Emission standard	Euro 4		Transmission			5 forward gear,1 reverse gear(manual)		
Cab	Single row, luxurious interior trim with seats and power steering, Air condition is optional.							
Engine model	Engine manufacturer			Displacement(ml)		ml)	Power(Kw)	
CY4102-CE4C Dongfeng Chao Co.,Ltd			haoyang Diesel		3856		91(125HP)	
Performance								
Flat length(mm)		5600		Flat width(mm)				2300
Max flatbed carrying		4000		Max lift weight(Kg)			3000	

Vehicle accessories

weight(Kg)

Training wheels, Steel wire rope, Bandage, Alarm lamp, Tyre covers, Jack, Spare tyre, Drivers' tools

4000

Wrecker Truck Instruction

The full name of wrecker truck is named road wrecker truck, also called trailer and road rescue truck. It has the powerful function and can carry two cars at the same time. It is the ideal choice for road management department and automobile repair plat to proceed to the road repair and rescue.

Max lift weight(Kg)

3000






















BATCH DELIVERY



