| Vehicle | | JMC refuse collector truck |
|--------------------------|---|----------------------------|
| Overall dimensions | mm | 5850X2150X2400 |
| Garbage tank | m3 | 5 |
| GVW | kg | Appro×7300 |
| Net weight | | Appro×4500 |
| Loading | | Appro×2820 |
| Wheel base | mm | 3360 |
| Front/Rear overhang | | 1075/1215 |
| Approach/departure angle | 0 | 20/13 |
| Max speed | km/h | 80 |
| Chassis Parameter | | |
| Cabin | Single cabin,power steering,air conditioner,3 passenger | |
| Drive type | 4×2 | |
| Engine | Brand : JMC JX1071TG26 | |
| | Model: JX493ZLQ6C, 122hp | |
| | Fuel type : diesel | |
| | Displacement : 2771ml | |
| | Emission standard : Euro 6 | |
| Transmission | 5 forward,1 rear,manual operated | |
| Tire model | 7.00R16 | |
| No.of tire | 6pcs | |
| Main Characteristic | Hydraulic lifter garbage truck can be mechanized automatic loading and unloading garbage, it consists of sealed garbage box, hydraulic system and operating system, can work with dozens of dust bins which achieve one truck with multiple bins joint operation. The hydraulic lifting device can hang the dust bins up and down, one working cycle time is 50s. The sealed box is environmentally friendly and hygienic, can avoid secondary pollution. | |

DESCRIPTION

UNIT

Reference pictures:

ITEM



















