

- 1. We can supply all brands of special trucks, such as Dongfeng, ISUZU, Sinotruck, Foton, Faw, north Benz(beiben), JAC, JMC, etc.**
- 2. The drive type could be 4X2, 4X4, 6X4, 6X6, 8X4**
- 3. Certification: ASM, ISO, BV, SGS, CCC etc.**

Advantage:

- 1. The garbage bin is made of stainless steel with a filter plate inside, which can effectively prevent light objects such as leaves from blocking the air outlet and dust from being discharged.**
- 2. Anti-corrosion, anti-rust and anti-virus treatment inside the water tank.**
- 3. The cleaning structure of "Center 4 brush + rear suction cup", the front sweeping disk has automatic obstacle avoidance function, and the left and right sweeping brushes can be controlled separately.**
- 4. According to the user's needs, it can be equipped with pre-shooting, post-sprinkling, spraying, self-cleaning reel, operation monitoring system, auxiliary suction device and snow shovel.**

JMC road sweeper truck

Main specifications			
Product model□name	JDF5060TSLJ4 Road Sweeper Truck		
Gross weight(Kg)	5790	Drive type	4 X 2
Payload (Kg)	960	Overall dimension (mm)	5650×1980×2450
Curb weight(Kg)	4700	cab seats (man)	2
Approach / departure angle(°)	27/13	Front/rear hang(mm)	1015/1275
Number of axles	2	Wheelbase(mm)	3360
Axle load	2200/3590	Max speed(Km/h)	95
Chassis specifications			
Chassis model	JX1060TG24	Manufacturer	Jiangling Auto Limited by Share Ltd
Brand name	JMC	Overall dimension(mm)	5825×1880×2020
Tire specification	7.00R16LT	Tires No.	6
Steel spring number	7/5+5	Front track(mm)	1385
Fuel type	Diesel	Rear track(mm)	1425

Emission standard	Euro IV	Transmission	5 Forward Gear□ Oil brake
Cabin	Car interiors, optional air conditioning,		
Main engine model	Engine manufacture	Displacement(ml)	Power(Kw)
JX493ZLQ4	Jiangling Auto Limited by Share Ltd	2771	80
Road Sweeper Performance			
Trash tank volume (m³)	□4	Water tank volume (m³)	□1.5
Material of trash tank	Stainless steel	Material of water tank	Stainless steel
Model of auxiliary engine	JX493G	Power of auxiliary engine(Kw)	57KW
Manufacturers of auxiliary engine	Jiangxi Isuzu Engine Co., Ltd.	Max sweeping width(mm)	3200
Sweeping speed (km / h)	3-20	Sweeping capacity □□/h□	9000- 60000
Maximum Grain size and quality (mm)	100mm\±1.5kg	Cleaning Rate	96%
Road Sweeper Features			
<p>1.The control box is in the cab, all kinds of system electrical centralized to control, and easy to operate!</p> <p>2, Four scan disk combined with suction nozzle in working. according to a different cleaning conditions Scan disk speed can be controlled by choosing three gear-High, medium and low, which can make sure there be have a good cleaning results in a variety of pollution status. and when met the obstacle, the scan disk can be have a automatic avoidance protections and features automatic reset function, and retracted automatically, then reseted automatically after over some obstacles!</p> <p>3.Both of side of the scan disk can be working altogether, or unilateral work independently.</p> <p>4.The core components of hydraulic systems adopts the original import!</p>			

JMC Road Sweeper Truck

Picture the following:









