Main specification						
Product model and name			CLW5041XLCJ4 Refrigerator truck			
Gross weight(Kg)			4495	Drive type		4x2
Payload(Kg)			1495	Overall dimension	(mm)	5995*1950*2900
Curb weight(Kg)			2770	Cab seats		2/3
Approach/departure angle(°)			27/14	Front/rear hang(m	m)	1065/1570
Axle No.			2	Wheelbase(mm)		3360
Axle load(Kg)			1860/2635	Max speed(Km/h)		100
Chassis specification						
Chassis model	JX1041TG2	24	Manufacturer			Jiangling Auto Co.,Ltd
Brand name	JMC		Dimension(mm)			5865*1880*2020
Tyre specification	7.00R16LT		Tyre No.			6
Steel spring number	7/4+5		Front track base(mm)			1385
Fuel type	Diesel		Rear track base(mm)			1425
Emission standard	Euro 4		Transmission			5 forward gear,1 reverse gear
Cab	Single row, luxurious interiors and seats with power steering. Air condition is optional.					
Engine model	Engine manufacturer				Displacement(ml)	Power(Kw)
JX493ZLQ4	Jiangling Auto Co.,Ltd			2771		80(109hp)
Performance						
Van body size(mm) 4150*17:			1750 Load capacity(TON)		acity(TON)	3
Lowest refrigeration temperature(°C) -5°C to			3			

The refrigerator truck is the closed van truck that is used to transport the frozen or fresh goods. This truck is made up of vehicle chassis, Polyurethane insulation van, refrigeration unit and temperature recorder. It is commonly used to transport the frozen food, dairy products, vegetable and fruit and vaccine medicine etc. For the special requirements of trucks, such as the meat transportation, the meat hook, aluminum alloy guide rail and ventilation slots etc. parts can be chosen and installed.

JMC refrigerator truck

Image as below:

















